


Behälter KG Bremen GmbH & Co.
 Theodor-Barth-Str. 25
 28307 Bremen – Germany
 Tel.: +49 421 34 85 10
 Mail: mail@behaelter-kg.de

TYPE K2-SL	
Serial number	117 901 29 01-10
Geometrical volume	8100 €
Working pressure	Atmospheric
Working temperature	-10/80°C
Maximum density	1.2kg/dm³
Tare mass	397 kg
Equipment output/voltage	-
Stock nr.	EW10650V6LN
Geometrical volume - jacket	-
Working pressure - jacket	-
Working temperature - jacket	-
Jacket pressure drop	-
Material	1.4404/AISI 316L
Year of manufacture	-

Revisions

Rev	Description	Date	Drawn	Checked	Rev. DD



Item	Description	PN	DN	Qty.											
		bar	mm.												
A	LEG ON ADJUSTABLE SUPPORT	atm.	-	4											
B	INLET DN65 ON TANK TOP UP TO WELDING MALE DN65 DIN11851	atm.	65	1											
C	UPPER MANHOLE DN500 Elica art.50/1p-6 WITH EPDM-FDA-GASKET	atm.	500	1											
D	INLET DN80 CENTRICALLY MOUNTED ON TANK TOP UP TO WELDING MALE DN80 DIN11851	atm.	80	1											
E	INLET AIRVENT DN80 ON TANK TOP UP TO WELDING MALE DN80 DIN11851	atm.	80	1											
F	TOTAL OUTLET DN65 UP TO WELDING MALE DN65 DIN11851	atm.	65	1											
Straightness, flatness and parallelism - EN 13920 F															
Linear dimensions - EN 13920 B															
≥30 ≤120	>120 ≤400	>400 ≤1000	>1000 ≤2000	>2000 ≤4000	>4000 ≤8000	>8000 ≤12000	>12000 ≤16000	≥2 ≤30	>30 ≤400	>400 ≤1000	>1000 ≤2000	>2000 ≤4000	>4000 ≤8000	>8000 ≤12000	>12000 ≤16000
1	1.5	3	4.5	6	8	10	12	±1	±2	±3	±4	±6	±8	±10	±12
Surface	Outside		Matt 2B		Weld. seams		Outside		Strip grinded 2x20 Ra<1,6						
	Inside		Matt 2B		Weld. seams		Inside		Strip grinded 2x20 Ra<1,6						
1.6	Drawn: B.K.		Scale 1:35	Weight 397	1.4404/ AISI 316L		117 901 29 EW10650V6LN								
Checked: K.I.		S10650		TYPE K2-SL-8100L		Rev		Lang Eng	Sheet 1/1						
Approved: D.M.															