



Revisions					
Rev	Description	Zone	Date	Drawn	Checked



Behälter KG Bremen GmbH & Co.
 Theodor-Barth-Str. 25
 28307 Bremen - Germany
 Tel. +49 (0) 421 34 85 114
 E-Mail: mail@behaelter-kg.de



TYPE K5-SL	
Serial number	119 901 37
Geometrical volume	10300 l
Working pressure	Atmospheric
Working temperature	-10/80°C
Maximum density	1.2kg/dm³
Tare mass	484 kg
Equipment output/voltage	-
Stock nr.	EW11.629V6LN
Geometrical volume - jacket	-
Working pressure - jacket	-
Working temperature - jacket	-
Jacket pressure drop	-
Material	1.4404 / AISI 316L
Year of manufacture	-

Item	Description	PN bar	DN mm.	Qty.
A	LEG ON ADJUSTABLE SUPPORT	-	-	4
B	INLET DN65 ON TANK TOP UP TO WELDING MALE DN65 DIN 11851	atm.	65	1
C	UPPER MANHOLE DN500 Elica art. 50/1p-6 WITH EPDM-FDA-GASKET	atm.	500	1
D	INLET DN100 CENTRICALLY MOUNTED ON TANK TOP UP TO WELDING MALE DN100 DIN 11851	atm.	100	1
E	INLET AIR VENT DN100 ON TANK TOP UP TO WELDING MALE DN100 DIN 11851	atm.	100	1
F	TOTAL OUTLET DN65 UP TO WELDING MALE DN65 DIN 11851	atm.	65	1

Straightness, flatness and parallelism - EN 13920 F								Linear dimensions - EN 13920 B							
≥30	>120	>400	>1000	>2000	>4000	>8000	>12000	≥2	>30	>400	>1000	>2000	>4000	>8000	>12000
≤120	≤400	≤1000	≤2000	≤4000	≤8000	≤12000	≤16000	≤30	≤400	≤1000	≤2000	≤4000	≤8000	≤12000	≤16000
1	1.5	3	4.5	6	8	10	12	±1	±2	±3	±4	±6	±8	±10	±12
Surface	Outside				Matt 2B				Weld. seams	Outside				Strip grinded 2x20 Ra<1,6	
	Inside				Matt 2B					Inside				Flat grinded to Ra<0,8	
1.6		✓/✓		Drawn: S.S.		Scale 1:35		Weight 484		1.4404 AISI 316L		119 901 37 EW11.629V6LN			
Checked: K.I.		Approved: D.M.		TYPE K5-SL-10300L		Rev		13.5.2019 r.		Lang Eng		Sheet 1/1			