

SECOND-HAND AND BRAND NEW STAINLESS STEEL TANKS

INTERNETVERSION
2022/02/22

- » Daily updated internet-database
under www.behaelter-kg.de/en/en/
- » with up to 1,500 tanks and heat exchangers described
in detail with many photos
- » available online now from our warehouse

YES!
WE BUY
YOUR TANKS





8053

volume 245 cbm, 304
insulation
propeller
2,7/5,5 kW - 40/80 rpm
drawing

■ ■ ■ Stk. 1 € 61.500,-



8056

volume 150 cbm, 304
insulation
propeller
41/83 rpm
drawing

■ ■ ■ Stk. 1 € 46.500,-



8306

■ ■ ■ Stk. 6 € 35.500,-



8469

volume 101 cbm, (1.4462; Duplex)
inside: 6 bar
heating coil (1.4462): 8 bar
extensive documentation

■ ■ ■ Stk. 1 € 59.000,-



8327

Reserviert: 1 Stk. bis:
16.02.2021

volume 84,3 cbm, 316 (1.4404)
insulation
yoc.: 2015

■ ■ ■ Stk. 1 € 32.800,-



8280

volume 81 cbm, 304
insulation
drawing

■ ■ ■ Stk. 2 € 23.500,-



7541

volume 62 cbm, 304
lateral propeller
9,5/4 kW - 720/1480 rpm

■ ■ ■ Stk. 1 € 22.500,-



8463

volume 60 cbm, 304
drawing

■ ■ ■ Stk. 8 € 18.300,-



K0039

volume 54,1 cbm, 304

■ ■ ■ Stk. 2 € 19.000,-



7593

volume 50 cbm, 304
insulation
agitator flange

■ ■ ■ Stk. 1 € 20.500,-



8322

volume 50 cbm, 304
insulation
lateral propeller

■ ■ ■ Stk. 1 € 25.700,-



6610

volume 50 cbm, AISI 304
horizontal

■ ■ ■ Stk. 1 € 16.800,-



7385

volume 50 cbm, 304
insulation
blades stirrer
3 kW - 31 rpm

■ ■ ■ Stk. 1 € 26.450,-



7421

volume 49,4 cbm, 304
KZE- tanks (+0,99 bar)
fruit juice
wt.: 2,5/4,0/6,0 mm
drawing

■ ■ ■ Stk. 1 € 21.850,-



K0017

volume 45 cbm, 304 (1.4541)
8 bar; wt.: 7,5/8 mm
without bearing shells
drawing

■ ■ ■ Stk. 1 € 18.900,-



7550

volume 44 cbm, 304
1 x blades stirrer
5,0/7,8 kW - 17,5/36 rpm
1 x lateral agitator flange

■ ■ ■ Stk. 1 € 19.550,-



7420

volume 44 cbm, 304
propeller
5,5/7,8 kW - 720/1430 rpm

■ ■ ■ Stk. 1 € 17.500,-



6716

volume 43 cbm, 304

■ ■ ■ Stk. 1 € 16.300,-



7415

volume 43 cbm, 304
standing on feet
fruit juice

■ ■ ■ Stk. 2 € 16.500,-



7416

volume 43 cbm, 304
propeller
1,1/4,4 kW - 470/960 rpm

■ ■ ■ Stk. 3 € 17.700,-



7422

volume 42,3 cbm, 304
KZE- tanks (+0,99 bar)
fruit juice
drawing

■ ■ ■ Stk. 2 € 19.500,-



K0038

volume 42 cbm, 304
lateral propeller

■ ■ ■ Stk. 3 € 19.000,-



8323

volume 40 cbm, 316 (1.4404)
electr. trace heating
insulation
drawing

■ ■ ■ Stk. 1 € 25.000,-



7833

volume 40 cbm, 304
insulation
anchor
4,7/7,5 kW - 7,1/14,2 rpm

■ ■ ■ Stk. 1 € 22.850,-



7309

volume 40 cbm, 304
insulation
2,7/5,5 kW - 12/23 rpm

■ ■ ■ Stk. 3 € 25.950,-



volume 40 cbm, 304
double jacket, 304
insulation
anchor
4.4/7.5 kW-7.1/14.2 rpm

■ ■ ■ Stk. 1 € 32.850,-



volume 40 cbm, 304 (1.4541)
insulation
TÜV-certificates

■ ■ ■ Stk. 1 € 13.800,-



volume 37,5 cbm, 304

■ ■ ■ Stk. 1 € 15.350,-



volume 37 cbm, 304
0,99 bar
insulation
agitator flange

■ ■ ■ Stk. 2 € 21.900,-



volume 36 cbm, 304
electric heating cable
insulation

■ ■ ■ Stk. 1 € 11.500,-



volume 35 cbm, 304
heating coil, 304: 8 bar
insulation
lateral agitator flange
drawing

■ ■ ■ Stk. 1 € 22.500,-




volume 34,7 cbm, 304
2,8 bar
TÜV-certificates

■ ■ ■ Stk. 1 € 16.450,-



volume 34,2 cbm, 316 (1.4401)
1 bar; wt.: 4,4/5,1 mm

■ ■ ■ Stk. 1 € 12.900,-



volume 33,2 cbm, 304 (1.4541)
2,3 bar

■ ■ ■ Stk. 1 € 13.900,-



volume 32,9 cbm, 304
insulation
agitator
drawing

■ ■ ■ Stk. 1 € 19.350,-



volume 31,2 cbm, 304
insulation

■ ■ ■ Stk. 1 € 24.400,-




volume 30,3 cbm, 304 (1.4541)
inside: -1/+3,5 bar
double jacket with trickle ring
agitator: 5,5 kW - 950 rpm
TÜV-certificates

■ ■ ■ Stk. 1 € 30.500,-



volume 25 cbm, 304
insulation
lateral propeller
2 kW - 940 rpm

■ ■ ■ Stk. 1 € 17.450,-



volume 30 cbm, 316 (1.4571)
inside: -1/+6 bar;
wt.: 12/16 mm
outside heating coils: 6 bar
drawing; test certificates

■ ■ ■ Stk. 1 € 29.700,-



Volume 30 cbm, AISI 304
heating coil inside for
heating/cooling

■ ■ ■ Stk. 1 € 11.400,-



volume 27,5 cbm, 304
2 bar; wt.: 3/5 mm
TÜV-certificates

■ ■ ■ Stk. 2 € 15.400,-



volume 27,1 cbm, 304
double jacket, 304 (cylinder)
heating coil, copper (cone)
lateral agitator flange

■ ■ ■ Stk. 1 € 24.750,-



volume 27 cbm, 304

■ ■ ■ Stk. 1 € 12.200,-



volume 26,2 cbm, 304
-1 bar
11 kW - 73 or 59 rpm
drawing; yoc.: 2009

■ ■ ■ Stk. 2 € 28.900,-



volume 25,9 cbm, 316 (1.4571)
4 bar; wt.: 3,5/5,1 mm
drawing

■ ■ ■ Stk. 1 € 16.800,-



volume 25,5 cbm, 304
-0,4/+0,4 bar
insulation
agitator: 4,4 kW - 16 rpm
drawing

■ ■ ■ Stk. 2 € 18.750,-



volume 25 cbm, 304
insulation
lateral propeller
1,5 kW - 925 rpm

■ ■ ■ Stk. 1 € 13.500,-



volume 25 cbm, 304
insulation
lateral propeller
1,5 kW - 925 rpm

■ ■ ■ Stk. 1 € 16.850,-



volume 25 cbm, 304
jetmixer with pump

■ ■ ■ Stk. 2 € 11.900,-



volume 25 cbm, 304
agitator flange

■ ■ ■ Stk. 4 € 12.750,-



6488

volume 25 cbm, 304

yoc.: 2009

div. documents

Stk. 1 € 14.500,-



7055

volume 25 cbm, 304
2,2 kW - 1415 rpm

Stk. 2 € 11.500,-



6447

Stk. 1 € 10.500,-



7894

volume 24,5 cbm, 304
propeller lower bottom:
950 / 470 rpm
lateral agitator flange

Stk. 1 € 11.450,-



8439

volume 24,4 cbm, 304
inside: 4 bar
wt.: 5/6 mm
half-coils, 304: 2 bar
TÜV-certificates

Stk. 1 € 20.500,-



7795

volume 24,1 cbm, 304 (1.4541)
half-coils, 304 (1.4541): 6 bar
anchor: 9,8 kW - 6,5 rpm
propeller: 30 kW/120-476 rpm
TÜV-certificates

Stk. 1 € 24.900,-



7665

volume 24 cbm, 316 (1.4571)
inside: 1 bar
insulation
agitator: 3,7 kW - 22 rpm

Stk. 1 € 18.750,-



7551

volume 24 cbm, 304
propeller: 5,5 kW - 730 rpm

Stk. 1 € 9.000,-



8468

volume 22,7 cbm, 304

Stk. 1 € 9.950,-



7056

volume 22,5 cbm, 304

Stk. 1 € 10.650,-



7886

volume 22 cbm, 304
insulation
propeller: 2,2 kW - 710 rpm

Stk. 2 € 10.550,-



7295

volume 22 cbm, 304
7,5 kW - 1435 rpm


Stk. 2 € 9.250,-



7104

volume 22 cbm, 304


Stk. 1 € 8.450,-



5490

volume 22 cbm, 316 (1.4571)
inside: -1/+3 bar; wt.: 10/12 mm
half-coils, 316: 25 bar
half-coils defect
agitator flange

Stk. 1 € 19.800,-



7888

volume 22 cbm, 304 (1.4541)
insulation

Stk. 1 € 8.950,-



7895

volume 21,5 cbm, 304
insulation
agitator: 7,5 kW

Stk. 1 € 12.950,-



8430

volume 21,4 cbm, 304
inside: 4,5 bar
double jacket, 304: 1,5 bar
wt.: 5,4/5,7/6 mm
TÜV-certificates

Stk. 1 € 18.900,-



8281

volume 21 cbm, 304
insulation

Stk. 2 € 10.450,-



6615

volume 21 cbm, 304

Stk. 1 € 9.500,-



8149

volume 20 cbm, 304
insulation
propeller: 1,5 kW - 720 rpm

Stk. 1 € 12.500,-



7018

volume 20 cbm, 304
plug-in heater, 304
insulation
blades stirrer

Stk. 1 € 15.500,-



6497

volume 20 cbm, 304 (1.4541)
1,1/4,0 kW - 480/980 rpm
standing in legs

Stk. 1 € 11.650,-



7115

volume 20 cbm, 304
lateral agitator flange

Stk. 2 € 10.500,-



8043

volume 20 cbm, 304
blades stirrer:
5,5 kW - 19 rpm

Stk. 1 € 16.450,-



7442

volume 20 cbm, 304
jet stream mixer
11 / 16 kW - 720 / 1455 rpm

Stk. 1 € 10.350,-



volume 20 cbm, 304
2,2/3,7 kW - 15/30 rpm

■ ■ ■ Stk. 1 € 11.850,-



volume 20 cbm, 304
propeller
8 kW - 960 rpm

■ ■ ■ Stk. 1 € 9.950,-



volume 20 cbm, 304
blades stirrer
5,5 kW - 21 rpm

■ ■ ■ Stk. 1 € 12.900,-



volume 20 cbm, 316 [1.4571]
-1/+6 bar
wt.: 10/11/12 mm
bearing shells Fe
TÜV-certificates

■ ■ ■ Stk. 1 € 18.250,-



volume 20 cbm, 304
insulation
RW-flange

■ ■ ■ Stk. 1 € 12.250,-



volume 20 cbm, 304
double jacket, 304
insulation
propeller

■ ■ ■ Stk. 1 € 25.800,-



volume 20 cbm, 304
lateral propeller
2 kW - 940 rpm

■ ■ ■ Stk. 1 € 13.000,-



volume 20 cbm, 304

■ ■ ■ Stk. 2 € 11.800,-



volume 20 cbm, 304

■ ■ ■ Stk. 1 € 9.950,-



volume 19,4 cbm, 304
bearing shells Fe (galvanized)

■ ■ ■ Stk. 1 € 10.450,-



volume 19,4 cbm, 316 [1.4401]
support brackets, Fe (galvanized)

■ ■ ■ Stk. 1 € 10.950,-



volume 19,2 cbm, 304
3 bar
test certificate

■ ■ ■ Stk. 1 € 14.500,-



volume 19 cbm, 304
heating coil inside
insulation
propeller: 1,2 kW - 470 rpm

■ ■ ■ Stk. 1 € 10.250,-



volume 18 cbm, 304
insulation

■ ■ ■ Stk. 1 € 11.200,-



volume 17,5 cbm, 304

■ ■ ■ Stk. 1 € 10.200,-



volume 17,3 cbm, 304
17/27 kW - 47/95 rpm
TÜV-certificates

■ ■ ■ Stk. 2 € 17.500,-



volume 17,2 cbm, 316 [1.4571]
inside: -1/+6 bar
double jacket, 316: -1/+6 bar
agitator: 11 kW
TÜV-certificates

■ ■ ■ Stk. 1 € 33.500,-



volume 17,2 cbm, 304
17/27 kW - 47/95 rpm
TÜV-certificates

■ ■ ■ Stk. 4 € 17.500,-



volume 17 cbm, 316 [1.4571]
-1/+6 bar
wt.: 6,6/10,2/14,1 mm
TÜV-certificates

■ ■ ■ Stk. 1 € 19.750,-



volume 17 cbm, 304

■ ■ ■ Stk. 1 € 9.500,-



volume 16,8 cbm, 304 [1.4541]
2,2 kW - 129 rpm

■ ■ ■ Stk. 1 € 11.350,-



volume 16 cbm, 304
jet stream mixer
13 / 19 kW
730 / 1455 rpm

■ ■ ■ Stk. 3 € 10.500,-



volume 16 cbm, 304

■ ■ ■ Stk. 3 € 4.950,-



volume 16 cbm, 304
blades stirrer
5,5 kW - 21 rpm
drawing

■ ■ ■ Stk. 6 € 11.650,-



volume 15,6 cbm, 316 [1.4571]
rectangular construction

■ ■ ■ Stk. 1 € 6.950,-



 volume 15,6 cbm, 304 rectangular construction Stk. 1 € 6.250,-	 volume 15,5 cbm, 304 Stk. 2 € 9.950,-	 volume 15 cbm, 304 inside: 1 bar half-coils, 304: 2 bar Stk. 1 € 12.450,-	 volume 15 cbm, 304 jetmixer with pump Stk. 2 € 9.700,-	 volume 15 cbm, 304 insulation agitator flange Stk. 1 € 9.500,-
 volume 15 cbm, 304 double jacket (drip ring), 304 insulation agitator: 19,6 rpm drawing Stk. 3 € 16.900,-	 volume 15 cbm, 304 insulation Stk. 1 € 8.750,-	 volume 15 cbm, 304 Stk. 1 € 5.950,-	 volume 15 cbm, 316 (1.4404) double jacket, 304: 3 bar insulation agitator flange drawing Reserviert: 3 Stk. bis: 08.02.2022 Stk. 3 € 25.250,-	 volume 15 cbm, 304 double jacket, 304 Stk. 1 € 12.950,-
 volume 15 cbm, 304 agitator flange Stk. 1 € 7.750,-	 volume 14,8 cbm, 304 Stk. 1 € 7.450,-	 volume 14,6 cbm, 304 Stk. 1 € 4.250,-	 volume 14,3 cbm, 304 density 1,4 Stk. 4 € 6.800,-	 volume 14,3 cbm, 304 density 1,4 Stk. 1 € 5.450,-
 volume 14 cbm, 304 double jacket, 304 agitator: 11 kW - 9,5 rpm Stk. 1 € 10.400,-	 volume 14 cbm, 304 insulation agitator: 2,2 kW - 20 rpm Stk. 2 € 7.450,-	 volume 14 cbm, 304 agitator: 4 kW - 24 rpm Stk. 1 € 9.850,-	 volume 14 cbm, 304 - unused - Stk. 2 € 9.300,-	 volume 14 cbm, 304 5,5 kW / 146 - 610 rpm Stk. 2 € 8.750,-
 volume 13,8 cbm, 316 (1.4571) -1/+6 bar wt.: 9/11,6/16 mm Stk. 1 € 11.450,-	 volume 13,7 cbm, 304 - unused - 0,51 bar; wt.: 3/4/5 mm yoc.: 2013 drawing Stk. 2 € 10.000,-	 volume 13,7 cbm, 316 (1.4571) inside: 3 bar; wt.: 4/6 mm half-coils, 304: 3 bar agitator flange [for magnetic agitator] Stk. 4 € 13.900,-	 volume 13,7 cbm, 316 (1.4571) inside: 1 bar; wt.: 3/4 mm half-coils, 304: 3 bar drawing Stk. 1 € 13.900,-	 volume 13,6 cbm, 316 (1.4571) 6 bar; wt.: 11,5/7,6 mm drawing Stk. 1 € 10.900,-



volume 13,5 cbm, 304
agitator flange

Stk. 1 € 6.900,-



volume 13,5 cbm, 304
4 bar
test certificate

Stk. 1 € 11.300,-



volume 13,3 cbm, 316 (1.4571)
inside: -1/+6 bar
half-coils, 316: -1/+6 bar
test certificates

Stk. 1 € 22.750,-



volume 13 cbm, 316 (1.4404)
-1/+3 bar; wt.: 6/7/9 mm
heating bundle, 316: -1/+6 bar
TÜV-certificates

Stk. 1 € 12.650,-



volume 12,8 cbm, 304
inside: -1/+3,2 bar
insulation
propeller
4 kW - 960 rpm

Stk. 1 € 8.850,-



volume 12,8 cbm, 316 (1.4571)
agitator flange

Stk. 2 € 9.250,-



volume 12,5 cbm, 316 (1.4571)
wt.: 5,2/5,3/5,7 mm
no outlet in the lower bottom

Stk. 1 € 8.450,-



volume 12,5 cbm, 304 (1.4541)
double jacket, Fe
special anchor
2 kW - 7 rpm

Stk. 3 € 13.800,-



volume 12,5 cbm, 304
insulation
propeller
1,5/8 kW or 3/12 kW
240/480 rpm

Stk. 2 € 8.450,-



volume 12,5 cbm, 316 (1.4571)
wt.: 3,8/4,0/4,8 mm
blades stirrer
58 - 200 rpm

Stk. 1 € 11.500,-



volume 12,5 cbm, 304
double jacket, 304

Stk. 1 € 12.500,-



volume 12,2 cbm, 304
lateral agitator flange

Stk. 2 € 6.450,-



volume 12 cbm, 304 (1.4541)
3,5 bar; wt.: 4/8 mm
double jacket, lower bottom, 304
TÜV-certificates

Stk. 1 € 10.900,-



volume 12 cbm, 316 (1.4404)
lateral agitator flange

Stk. 1 € 5.350,-



volume 12 cbm, 304

Stk. 1 € 8.150,-



volume 12 cbm, 304 (1.4541)
rectangular tank

Stk. 2 € 6.900,-



volume 12 cbm, 304
double jacket (304) lower bottom
propeller
1,5/7,5 kW-480/970 rpm

Stk. 1 € 8.750,-



volume 12 cbm, 316 (1.4401)
propeller: 0,55 kW

Stk. 1 € 7.250,-



volume 12 cbm, 316 (1.4404)

Stk. 2 € 7.250,-



volume 12 cbm, 316 (1.4401)
bearing shells Fe (lacquered)

Stk. 2 € 6.750,-



volume 11,7 cbm, 316 (1.4401)
inside: 0,99 bar
double jacket with drip ring
agitator: 1,2/2,2 kW - 12/25 rpm

Stk. 1 € 17.950,-



volume 11,6 cbm, 304
wt.: 5 mm
insulation
techn. documents

Stk. 1 € 5.950,-



volume 11,5 cbm, 304
insulation
1,1 kW - 480 rpm

Stk. 1 € 8.800,-



volume 11,4 cbm, 304
rectangular construction

Stk. 2 € 5.700,-



volume 11,2 cbm, 316 (1.4571)
wt.: 3/4 mm
insulation
agitator: 7,5 kW - 36 rpm
drawing

Stk. 1 € 13.850,-



7633

volume 11 cbm, 304
thermoplate cylinder
agitator: 11 kW - 130 rpm

Stk. 1 € 10.800,-



8424

volume 11 cbm, 304
lateral jet stream mixer
1,1/1,9 kW
1420/2850 rpm

Stk. 1 € 5.800,-



8005

volume 11 cbm, 304
dissolver
30/36 kW - 980/1175 rpm

Stk. 1 € 8.450,-



7950

volume 11 cbm, 304

Stk. 9 € 6.350,-



7930

volume 11 cbm, 304
inside: 3.2 bar
insulation
lateral agitator flange
drawing

Stk. 3 € 7.500,-



7808

volume 11 cbm, 304
insulation
jet stream mixer
715 / 1435 rpm

Stk. 1 € 6.980,-



7186

volume 11 cbm, 304 (1.4541)
wt.: 4,7 / 5,3 cbm

Stk. 1 € 5.350,-



7008

volume 10,9 cbm, 316 (1.4571)
inside: 0,5 bar
double jacket, 304: 2 bar
insulation
drawing

Stk. 1 € 10.950,-



8139

volume 10,8 cbm, 304 (1.4541)
inside: -1/+6 bar
half-coils, 304: -1/+20 bar
anchor stirrer
22 kW - 78 rpm

Stk. 1 € 17.450,-



6170

volume 10,8 cbm, 304 (1.4541)
blades stirrer
4 kW - 65 rpm

Stk. 4 € 11.800,-



6191

volume 10,8 cbm, 304
55 kW - 85 rpm
order no. 6191

Stk. 2 € 10.900,-



7999

volume 10,8 cbm, 316 (1.4571)
3,2 bar
wt.: 8/10/14 mm
drawing; test certificates

Stk. 1 € 11.400,-



6194

volume 10,8 cbm, 304
55 kW - 85 rpm
order no. 6194

Stk. 1 € 11.500,-



8459

volume 10,6 cbm, 304
0,5 bar
TÜV-certificates

Stk. 16 € 6.400,-



8313

volume 10,5 cbm, 304
1,5 bar
TÜV-certificates

Stk. 1 € 8.200,-



7542

volume 10,4 cbm, 316 (1.4404)
double jacket, 304: 5 bar
insulation
agitator: 2,2 kW - 67 rpm
techn. documents

Stk. 1 € 14.900,-



8437

volume 10,4 cbm, 304
3 bar
wt.: 3/3,5 mm
TÜV-certificates

Stk. 1 € 9.900,-



6764

volume 10,3 cbm, 304 (1.4541)

Stk. 1 € 6.250,-



6916

volume 10,1 cbm, 304

Stk. 1 € 6.500,-



K0040

volume 10 cbm, 316 (1.4571)
half-coils, 304: 1,5 bar
double jacket, 304: 1,5 bar
insulation
propeller: 1,5 kW - 275 rpm

Stk. 1 € 14.500,-



7932

volume 10 cbm, 304
half-coils, 304: 2 bar
insulation
agitator: 5 kW/55 - 136 rpm

Stk. 1 € 9.950,-



8391

volume 10 cbm, 304

Stk. 1 € 6.500,-



K0043

volume 10 cbm, 316 (1.4404)
double jacket, 304: 3 bar
insulation
agitator flange
drawing

Stk. 3 € 21.800,-



8169

volume 10 cbm, 304
lateral agitator flange

Stk. 1 € 6.300,-



6544

volume 10 cbm, 304
insulation

Stk. 1 € 6.750,-



volume 10 cbm, 304
rectangular construction

■ ■ ■ Stk. 2 € 5.200,-



volume 10 cbm, 304
insulation
propeller
3 kW - 700 rpm

■ ■ ■ Stk. 1 € 4.950,-



volume 10 cbm, 316 [1.4571]

■ ■ ■ Stk. 1 € 5.950,-



volume 10 cbm, 304
- unused -
half-coils, 304: 3 bar
thermoplate, 304 3 bar
TÜV-certificates; yoc.: 2015

■ ■ ■ Stk. 1 € 9.200,-



volume 10 cbm, 304
insulation
anchor stirrer

■ ■ ■ Stk. 1 € 3.500,-



volume 10 cbm, 304
insulation

■ ■ ■ Stk. 1 € 6.000,-



volume 10 cbm, 304

■ ■ ■ Stk. 1 € 6.300,-



volume 10 cbm, 304
inside: 0,5 bar; wt.: 4 mm
double safety jacket, 304
TÜV-certificates

■ ■ ■ Stk. 1 € 8.950,-



volume 10 cbm, 304
insulation
propeller: 0,37 kW - 720 rpm

■ ■ ■ Stk. 1 € 6.550,-



volume 10 cbm, 304
5 bar; wt.: 5/7 mm
insulation
TÜV-certificates

■ ■ ■ Stk. 1 € 10.500,-



volume 10 cbm, 304
blades stirrer
1,5/2,2 kW - 20/40 rpm

■ ■ ■ Stk. 1 € 12.250,-



volume 10 cbm, 304
2 electr. plug-in heater
insulation
anchor
2 / 3 kW - 11 / 17 rpm

■ ■ ■ Stk. 2 € 9.500,-



volume 10 cbm, 304

■ ■ ■ Stk. 1 € 4.950,-



volume 10 cbm, 304

■ ■ ■ Stk. 1 € 6.250,-



volume 10 cbm, 316 [1.4571]
double jacket, 304
insulation
Anchor stirrer

■ ■ ■ Stk. 1 € 7.250,-



volume 10 cbm, 304 [1.4541]
half-coils, 316
1 x blades stirrer
75 kW - 134/77,5 rpm
1 x jet stream mixer

■ ■ ■ Stk. 1 € 20.500,-



volume 10 cbm, 304 [1.4541]
8 bar

■ ■ ■ Stk. 1 € 8.450,-



volume 10 cbm, 304
propeller

■ ■ ■ Stk. 1 € 6.750,-



volume 10 cbm, 304
lateral agitator flange

■ ■ ■ Stk. 5 € 5.950,-



volume 10 cbm, 304
- unused -

■ ■ ■ Stk. 1 € 8.250,-



volume 10 cbm, 304
half-coils, 304: 3 bar
insulation
jet stream mixer
drawing

■ ■ ■ Stk. 1 € 16.500,-



volume 10 cbm, 304
3 bar
wt.: 4/4,25 mm
TÜV-certificates

■ ■ ■ Stk. 1 € 8.900,-



volume 9,5 cbm, 316 [1.4571]

■ ■ ■ Stk. 1 € 5.650,-



volume 9,5 cbm, 304
insulation
agitator connection

■ ■ ■ Stk. 1 € 5.500,-



volume 9,5 cbm, 304
0,5/2,2 kW - 240/480 rpm

■ ■ ■ Stk. 1 € 7.950,-



volume 9,4 cbm, 304 [1.4541]
techn. documents

■ ■ ■ Stk. 7 € 5.450,-



volume 9,3 cbm, 304

■ ■ ■ Stk. 2 € 6.900,-



volume 9 cbm, 304

■ ■ ■ Stk. 1 € 5.850,-



volume 9 cbm, 304
inside: -1/+3,5 bar
doublejacket, 304
with trickle ring
documentation

■ ■ ■ Stk. 6 € 11.900,-



volume 9 cbm, 304
7,5 kW / 20 - 125 rpm

■ ■ ■ Stk. 1 € 7.800,-



volume 8,9 cbm, 304
10 bar; yoc.: 2007
compressed air tank
test certificates

■ ■ ■ Stk. 1 € 9.650,-



volume 8,9 cbm, 304
Foot-frame, Fe

■ ■ ■ Stk. 1 € 4.200,-



volume 8,6 cbm, 316 [1.4571]
inside: -1/+6 bar
half-coils, 304 [1.4541]: -1/+20 bar
insulation, Fe-jacket (galvanized;
upper bottom)

■ ■ ■ Stk. 1 € 9.850,-




volume 8,6 cbm, 304
agitator: 1,2/2,2 kW - 14/30 rpm

■ ■ ■ Stk. 1 € 6.750,-



volume 8,5 cbm, 304
yoc.: 2006

■ ■ ■ Stk. 1 € 6.950,-



volume 8,5 cbm, 304
yoc.: 2005

■ ■ ■ Stk. 2 € 6.500,-



volume 8,2 cbm, Fe (enamelled)
inside: -1/+6 bar
double jacket, Fe: -1/+7 bar
insulation
anchor stirrer

■ ■ ■ Stk. 1 € 25.000,-



volume 8,2 cbm, 304

■ ■ ■ Stk. 1 € 4.950,-



volume 8,2 cbm, 304
heating coils inside
magnetic stirrer
1,1 kW - 910 rpm

■ ■ ■ Stk. 1 € 9.800,-



volume 8,2 cbm, 304
wt.: 2,8/2,9 mm

■ ■ ■ Stk. 1 € 5.450,-



volume 8 cbm, 304
agitator flange

■ ■ ■ Stk. 1 € 4.950,-




volume 8 cbm, 304

■ ■ ■ Stk. 2 € 5.150,-



volume 8 cbm, 304
wt.: 5 mm
9,9/16 kW - 45/90 rpm
TÜV-certificates

■ ■ ■ Stk. 2 € 11.500,-



volume 8 cbm, 316 [1.4571]
inside: -1/+2 bar
double jacket, Fe: 2,5 bar
30 kW - 140 rpm
TÜV-certificates

■ ■ ■ Stk. 1 € 15.800,-



volume 8 cbm, 304 [1.4541]
blades stirrer
22 kW - 61 rpm
order no. 6182

■ ■ ■ Stk. 2 € 9.500,-



volume 8 cbm, 304
half-coils, 304
insulation
agitator: 4 kW - 14 rpm

■ ■ ■ Stk. 1 € 8.950,-



volume 8 cbm, 304
blades stirrer
without motor/gear

■ ■ ■ Stk. 1 € 4.900,-



volume 8 cbm, 304
insulation
2,2 kW - 42 rpm

■ ■ ■ Stk. 2 € 9.750,-



volume 8 cbm, 304
inside: 0,4 bar
insulation
anchor: 4 kW - 16 rpm

■ ■ ■ Stk. 1 € 12.900,-



volume 8 cbm, 316 [1.4571]

■ ■ ■ Stk. 1 € 5.650,-



8538

volume 7,9 cbm, 304
wt.: 5 mm
agitator: 2,7/4 kW - 20/40 rpm
drawing

■ ■ ■ Stk. 4 € 6.800,-



8388

volume 7,8 cbm, 304

■ ■ ■ Stk. 1 € 5.400,-



6578

volume 7,6 cbm, 304 (1.4541)
half-coils, 304: 8 bar
wt.: 4/5,6 mm
agitator flange

■ ■ ■ Stk. 1 € 4.400,-



8076

volume 7,5 cbm, 304
1,9 bar
wt.: 4/5 mm
drawinghg

■ ■ ■ Stk. 1 € 5.570,-



6367

volume 7,5 cbm, 316 (1.4571)
inside: 3 bar
half-coils, 316: 6 bar

■ ■ ■ Stk. 1 € 24.500,-



6855

volume 7,5 cbm, 304
beaker stirrer
2,2 kW - 102 rpm

■ ■ ■ Stk. 1 € 5.500,-



8381

volume 7,4 cbm, 304 (1.4541)
-1/+5,5 bar

■ ■ ■ Stk. 2 € 9.200,-



8130

volume 7,3 cbm, Fe (enamelled)
inside: -1/+6 bar
double jacket, Fe: -1/+7 bar
blades stirrer, st. st.
drawing

■ ■ ■ Stk. 1 € 17.900,-



7777

volume 7,25 cbm, 316 (1.4401)
wt.: 4/5 mm
half-coils, 304: 5 bar
agitator: 4 kW - 125 rpm

■ ■ ■ Stk. 1 € 11.250,-



7952

volume 7 cbm, 304

■ ■ ■ Stk. 1 € 4.650,-



7346

volume 7 cbm, 304

■ ■ ■ Stk. 1 € 4.950,-



7144

volume 7 cbm, 304
insulation

■ ■ ■ Stk. 2 € 4.900,-



8389

volume 7 cbm, 304

■ ■ ■ Stk. 1 € 4.900,-




K0044

Reserviert: 1 Stk. bis:
27.01.2022

volume 7 cbm, 316 (1.4404)
double jacket, 304: 3 bar
insulation
agitator flange
drawing

■ ■ ■ Stk. 3 € 18.500,-



K0047

volume 7 cbm, 316 (1.4404)
agitator flange
drawing

■ ■ ■ Stk. 1 € 10.000,-



8072

volume 6,9 cbm, 316 (1.4571)
inside: -1/+3,2 bar
half-coils, 304: 16 bar
insulation
agitator flange

■ ■ ■ Stk. 1 € 10.550,-



8071

Reserviert: 1 Stk. bis:
17.02.2022

volume 6,9 cbm, 316
inside: -1/+3,2 bar
half-coils, 304: 16 bar
isolation
lateral propeller

■ ■ ■ Stk. 2 € 12.850,-



8067

Reserviert: 1 Stk. bis:
29.01.2022

volume 6,9 cbm, 316 (1.4571)
-1/+3,2 bar
wt.: 5,5/7/7,1 mm
lateral propeller
drawing

■ ■ ■ Stk. 3 € 7.950,-



8425

volume 6,9 cbm, 304
propeller:
6,8 kW - 1440 rpm

■ ■ ■ Stk. 1 € 4.400,-



7849

volume 6,8 cbm, 304

■ ■ ■ Stk. 1 € 4.450,-



6193

volume 6,7 cbm, 304
agitator: 37 kW - 114 rpm

■ ■ ■ Stk. 1 € 7.500,-



8021

volume 6,5 cbm, 316 (1.4571)
-1/+0,99 bar
jet stream mixer
22 kW - 1470 rpm
several documents

■ ■ ■ Stk. 1 € 19.950,-



7175

volume 6,5 cbm, 304
inside: -1/+2 bar
half-coils, 304: 6 bar
5,5 kW - 73 rpm
TÜV-certificates

■ ■ ■ Stk. 1 € 17.850,-



7153

Reserviert: 2 Stk. bis:
17.02.2022

volume 6,5 cbm, 304
agitator: 1,5 kW

■ ■ ■ Stk. 3 € 5.900,-



7112

volume 6,5 cbm, 304
jetmixer with pump

■ ■ ■ Stk. 1 € 7.700,-



volume 6,1 cbm, 304 [1.4541]

Stk. 1 € 4.750,-



volume 6,1 cbm, 304 [1.4541]

Stk. 1 € 4.750,-



volume 6 cbm, 304
inside: 3,2 bar
double jacket, 304
insulation
lateral agitator flange

Stk. 2 € 4.450,-



Reserviert: 1 Stk. bis:
18.02.2022

volume 6 cbm, 304
wt.: 3 mm

Stk. 1 € 4.950,-



volumen 6 cbm, 304

Stk. 3 € 4.450,-



volume 6 cbm, 316 [1.4435]
inside: -0,5/+3 bar
double jacket, 304
insulation
including vehicle trailer

Stk. 1 € 9.450,-



volume 6 cbm, aluminum
open tub

Stk. 1 € 1.950,-



volume 6 cbm, 304

Stk. 4 € 5.650,-



volume 6 cbm, 304 [1.4541]
half-coils, 304
1 x blades stirrer
1 x anchor stirrer with
teflon scrapers

Stk. 1 € 14.900,-



volume 6 cbm, 304
double-jacket, 304
insulation

Stk. 1 € 8.900,-



volume 6 cbm, 304
1 cooling-plate inside

Stk. 1 € 4.750,-



volume 6 cbm, 304
agitator flange

Stk. 1 € 5.400,-



volume 5,9 cbm, 304
dissolver
22 kW - 970 rpm

Stk. 1 € 5.750,-



volume 5,9 cbm, 304
dissolver
15 kW - 560 rpm

Stk. 1 € 5.750,-



volume 5,7 cbm, 316 [1.4571]
inside: -1/+6 bar
wt.: 6/7,8/8,4 mm
insulation
TÜV-certificates

Stk. 1 € 9.850,-



volume 5,3 cbm, 304
half-coils, 304: 4 bar
thermoplate, 304: 4 bar
insulation

Stk. 1 € 7.200,-



volume 5,6 cbm, 316 [1.4401]
inside: -1/+6 bar
half-coils, 316: -1/+6 bar
agitator flange

Stk. 1 € 13.000,-



volume 5,6 cbm, 304
agitator flange

Stk. 1 € 4.550,-



volume 5,5 cbm, 304

Stk. 1 € 4.850,-



volume 5,5 cbm, 304
jet stream mixer:
1,1 kW - 1440 rpm

Stk. 1 € 3.900,-



volume 5,5 cbm, 316 [1.4571]
jet stream mixer
15 kW - 1460 rpm

Stk. 1 € 9.800,-



volume 5,5 cbm, 316 [1.4571]
inside: -1/+4 bar; wt.: 8/10 mm
half-coils, 316: 6 bar
agitator: 5/7,5 kW - 49/98 rpm
TÜV-certificates

Stk. 1 € 12.950,-



volume 5,5 cbm, 316 [1.4571]
jet stream mixer
without motor

Stk. 1 € 6.450,-



volume 5,4 cbm, 316 [1.4571]
inside: -1/+6 bar
half-coils, 304
propeller: 3,6 kW - 450 rpm
various documents

Stk. 1 € 10.800,-



volume 5,4 cbm, 304

Stk. 3 € 4.800,-



volume 5,4 cbm, 304

■■■ Stk. 1 € 4.350,-



volume 5,4 cbm, 304

■■■ Stk. 1 € 4.800,-


 volume 5,39 cbm, 304
 half-coils, 304: 2 bar
 double jacket, 304: 2 bar
 agitator: 0,75 kW - 137 rpm

■■■ Stk. 1 € 8.950,-


 volume 5,39 cbm, 304
 heating-coils, 304: 2 bar
 thermoplate, 304: 2 bar
 agitator flange

■■■ Stk. 1 € 6.950,-



volume 5,1 cbm, 304

■■■ Stk. 2 € 4.950,-


 volume 5 cbm, 304
 lateral propeller
 0,55 kW - 1390 rpm

■■■ Stk. 1 € 4.650,-


 volume 5 cbm, 304
 2,45 bar
 bearing shells, Fe (galvanized)

■■■ Stk. 1 € 2.950,-


 volume 4,5 cbm, 304
 double jacket with drip ring
 insulation
 1,5/2,2 kW - 73/145 rpm

■■■ Stk. 2 € 8.200,-



volume 5 cbm, 304

■■■ Stk. 1 € 4.150,-


 volume 5 cbm, 304
 insulation
 propeller agitator

■■■ Stk. 1 € 3.800,-



volume 5 cbm, 304

■■■ Stk. 1 € 4.350,-


 volume 5 cbm, 304
 disk agitator

■■■ Stk. 5 € 4.100,-


 volume 5 cbm, 304
 insulation
 anchor: 0,75 kW - 11,2 rpm

■■■ Stk. 1 € 4.500,-


 volume 5 cbm, 304
 double jacket, 304
 insulation
 propeller without motor/gear

■■■ Stk. 1 € 8.200,-



volume 5 cbm, 304

■■■ Stk. 1 € 4.300,-


 volume 5 cbm, 304 (1.4541)
 half-coils, 304: 10 bar
 wt.: 5,4/6/9 mm
 blades stirrer
 6,8 kW / 26 - 101 rpm

■■■ Stk. 4 € 16.800,-


 volume 5 cbm, 304
 heating coils inside, 304
 anchor: 5,5 kW - 15 rpm

■■■ Stk. 1 € 9.750,-


 volume 5 cbm, 304
 half-coils & double jacket 304
 insulation
 agitator: 2,6/4,4 kW - 6,8/14 rpm

■■■ Stk. 1 € 6.650,-


 volume 5 cbm, 304
 insulation
 anchor

■■■ Stk. 1 € 4.950,-


 volume 5 cbm, 316 (1.4401)
 blades agitator, 304 (1.4301):
 1,1 kW - 56,7 rpm

■■■ Stk. 1 € 4.100,-


 volume 5 cbm, 304
 insulation
 3 kW - 960 rpm

■■■ Stk. 1 € 5.800,-


 volume 5 cbm, 304
 6 bar
 insulation

■■■ Stk. 1 € 7.900,-


 volume 5 cbm, 304
 double jacket, 304
 insulation
 propeller without motor/gear

■■■ Stk. 1 € 8.200,-



volume 5 cbm, 304

■■■ Stk. 2 € 4.450,-



volume 4,9 cbm, 304

■■■ Stk. 1 € 3.400,-



volume 4,8 cbm, 316 [1.4571]
inside: -1/+2,5 bar
double jacket, Fe; 2,5 bar
motor/gear: 15 kW
TÜV-certificates

■ ■ ■ Stk. 2 € 9.800,-



volume 4,8 cbm, 304

■ ■ ■ Stk. 1 € 4.250,-



volume 4,8 cbm, 304
agitator: 1,1/1,8 kW
58/117 rpm

■ ■ ■ Stk. 1 € 4.650,-



volume 4,8 cbm, 304

■ ■ ■ Stk. 1 € 3.750,-



volume 4,5 cbm, 304
agitator flange

■ ■ ■ Stk. 1 € 3.250,-



volume 4,5 cbm, 316 [1.4404]
half-coils, 316: 6 bar
agitator: 5,5 kW - 1445 rpm

■ ■ ■ Stk. 1 € 7.750,-



volume 4,3 cbm, 316 [1.4571]
agitator flange

■ ■ ■ Stk. 1 € 4.600,-



volume 4 cbm, 304
insulation
agitator flange

■ ■ ■ Stk. 1 € 5.250,-



volume 6 cbm, 304
inside cooling plate, 304

■ ■ ■ Stk. 1 € 3.550,-



volume 4 cbm, 316 [1.4404]
0,99 bar

■ ■ ■ Stk. 1 € 6.800,-



volume 4 cbm, 304
agitator flange

■ ■ ■ Stk. 1 € 3.350,-



volume 4 cbm, 316 [1.4571]
electr. plug-in heater inside
insulation

■ ■ ■ Stk. 1 € 7.800,-



volume 4 cbm, 304
rectangular construction

■ ■ ■ Stk. 1 € 4.250,-




volume 4 cbm, 316 [1.4571]
half-coils, 304: 2 bar
insulation
agitator: 0,55 kW - 29 rpm
drawing

■ ■ ■ Stk. 1 € 9.850,-



volume 4 cbm, 304
insulation
2 x agitator
1,5 kW - 195 rpm
drawing

■ ■ ■ Stk. 1 € 3.450,-



volume 4 cbm, 316 [1.4404]
double jacket, 304: 3 bar
insulation
agitator flange
drawing

■ ■ ■ Stk. 1 € 15.500,-



volume 3,6 cbm, 316 [1.4571]
inside: -1/+3,2 bar
half-coils, 316: -1/+6 bar
propeller: 1 kW - 347 rpm
TÜV-certificates

■ ■ ■ Stk. 3 € 11.450,-



volume 3,6 cbm, 316 [1.4404]
3 bar

■ ■ ■ Stk. 4 € 7.300,-



volume 3,6 cbm, 304
4 kW - 82 rpm

■ ■ ■ Stk. 1 € 5.450,-



volume 3,6 cbm, 304
2-chamber-tank
(appr. 2 x 1,8 cbm)
insulation

■ ■ ■ Stk. 1 € 1.450,-



volume 3,6 cbm, 304 [1.4541]
2,6 bar; wt.: 3/4 mm
insulation
TÜV-certificates

■ ■ ■ Stk. 1 € 6.950,-



volume 3,6 cbm, 316 [1.4571]
double jacket, 304: 4 bar
insulation
blades agitator:
1,1/1,8 kW - 19,5/40 rpm

■ ■ ■ Stk. 2 € 8.450,-



volume 3,5 cbm, 304 [1.4541]
0,5 bar
TÜV-certificates

■ ■ ■ Stk. 1 € 3.300,-



volume 3,5 cbm, 304 [1.4541]
0,5 bar
propeller (without motor)
TÜV-certificates

■ ■ ■ Stk. 1 € 3.400,-



volume 3,5 cbm, 316
inside: -1/+3,2 bar
half-coils, 304: 16 bar
insulation
propeller: 1,1 kW - 313 rpm

■ ■ ■ Stk. 1 € 11.450,-



8206

volume 3,5 cbm, 304

Stk. 1 € 4.650,-



7061

volume 3,5 cbm, 304
insulation
1,1 kW - 450 rpm

Stk. 2 € 4.450,-



7789

volume 3,5 cbm, 316 (1.4571)
half-coils, 304: 3 bar
insulation
propeller: 0,55 kW - 910 rpm

Stk. 1 € 7.750,-



7813

volume 3,5 cbm, 304 (1.4541)

Stk. 5 € 2.950,-



7733

volume 3,5 cbm, 304 (1.4541)
inside: -1/+4 bar
double jacket, 304: 4 bar
propeller: 6,8 kW - 395 rpm

Stk. 1 € 8.450,-



7969

volume 3,8 cbm, 304
insulation
anchor: 12/24 rpm

Stk. 1 € 5.950,-



6979

volume 3,3 cbm, 304
half-coils, 304
insulation
1,5 kW - 950 rpm

Stk. 1 € 7.300,-



8331

volume 3,2 cbm, 304
rectangular construction

Stk. 1 € 3.100,-



8205

volume 3,2 cbm, 304

Stk. 1 € 4.250,-



8382

volume 3,1 cbm, Hastelloy (2.4602)

Stk. 2 € 11.200,-



7338

volume 3,1 cbm, 304 (1.4541)
double jacket, 304 (1.4541)
wt.: 4/6 mm
agitator: 7,5 kW/13-72 rpm
drawing

Stk. 1 € 14.500,-



8445

volume 3,1 cbm, 316 (1.4401)
-1/+6 bar
insulation
inside & outside ground

Stk. 1 € 10.300,-



6779

volume 3 cbm, 316 (1.4571)
double jacket, Fe
special anchor

Stk. 1 € 10.800,-



7431

volume 3 cbm, 316 (1.4571)
lateral agitator flange

Stk. 1 € 3.250,-



7514

volume 3 cbm, 304
1 cooling plate inside

Stk. 1 € 2.790,-



8333

volume 3 cbm, 304
rectangular construction

Stk. 1 € 2.750,-



7489

volume 3 cbm, 304
agitator: 0,75 kW - 120 rpm

Stk. 1 € 4.350,-



7848

volume 3 cbm, 304

Stk. 4 € 3.750,-



8308

volume 3 cbm, 304
blades stirrer

Stk. 1 € 2.250,-



7776

volume 3 cbm, 304
insulation
agitator flange

Stk. 1 € 3.350,-



6676

volume 3 cbm, 316 (1.4571)
double jacket, Fe
agitator: 2,2 kW

Stk. 1 € 10.800,-



7978

volume 3 cbm, 304
wt.: 3 mm
drawing

Stk. 1 € 2.850,-



7810

volume 3 cbm, 304

Stk. 1 € 3.450,-



6776

volume 2,9 cbm, 316 (1.4571)
heating coils inside

Stk. 1 € 2.150,-



7793

volume 2,8 cbm, 316 (1.4401)

Stk. 2 € 3.250,-



volume 2,8 cbm, 316 [1.4571]
-1/+6 bar
blades stirrer
drawing

■ ■ ■ Stk. 2 € 5.950,-



volume 2,7 cbm, 316 [1.4571]
-1/+6 bar; wt.: 7/9 mm
double jacket, 304: 3 bar
propeller: 2,6 kW - 167 rpm
TÜV-certificates

■ ■ ■ Stk. 2 € 5.950,-



volume 2,75 cbm, 304
lateral propeller
0,75 kW - 1390 rpm

■ ■ ■ Stk. 2 € 2.650,-



volume 2,7 cbm, 316 [1.4571]
inside: -1/+3,2 bar; wt.: 5/7 mm
half-coils, 304: 12 bar
propeller: 1,1 kW - 313 rpm
drawing

■ ■ ■ Stk. 1 € 10.950,-



volume 2,7 cbm, 316 [1.4435]
inside: -1/+3,2 cbm
half-coils, 304: 16 bar
propeller: 2,6 kW - 323 rpm

■ ■ ■ Stk. 1 € 10.950,-



volume 2,7 cbm, 304

■ ■ ■ Stk. 1 € 1.900,-



volume 2,7 cbm, 316 [1.4571]
half-coils, cylinder, 304: 2,5 bar
double jacket lower bottom, 304:
2,5 bar
agitator crossbar

■ ■ ■ Stk. 3 € 4.950,-



volume 2,7 cbm, 316 [1.4404]
inside: -0,5/+0,99 bar
double jacket, 304: 0,5 bar
insulation

■ ■ ■ Stk. 5 € 7.900,-



volume 2,6 cbm, Fe (enamelled)
inside: -1/+3,2 bar
double jacket, Fe: 6 bar
insulation
propeller: 1,1 kW - 313 rpm

■ ■ ■ Stk. 1 € 5.500,-



volume 2,6 cbm, 304

■ ■ ■ Stk. 2 € 3.800,-



volume 2,5 cbm, SST

■ ■ ■ Stk. 1 € 2.750,-



volume 2,5 cbm, 304
half-coils, 304
anchor with teflon scrapers
without motor/gear

■ ■ ■ Stk. 1 € 4.250,-



volume 2,5 cbm, 316 [1.4435]
inside: -1/+3,2 bar
half-coils, 304: -1/+16 bar
propeller: 1,1 kW - 307 rpm

■ ■ ■ Stk. 1 € 12.950,-



volume 2,5 cbm, 304
double jacket, 304: 1,5 bar
wt.: 5,2/6 mm
techn. documents

■ ■ ■ Stk. 1 € 4.250,-




volume 2,5 cbm, 316 [1.4571]
inside: -1/+6 bar
half-coils, 316: -1/+6 bar
double jacket, 316: -1/+6 bar
TÜV-certificates

■ ■ ■ Stk. 2 € 9.800,-



volume 2,5 cbm, 304

■ ■ ■ Stk. 1 € 3.250,-



volume 2,5 cbm, 304
order no. 5862

■ ■ ■ Stk. 1 € 2.850,-



volume 2,4 cbm, 316 [1.4571]
insulation
agitator flange

■ ■ ■ Stk. 1 € 4.250,-



volume 2,4 cbm, 304
insulation

■ ■ ■ Stk. 1 € 2.100,-



volume 2,4 cbm, 316 [1.4571]
double jacket, 304
insulation
agitator: 5,5 kW - 950 rpm
without propeller

■ ■ ■ Stk. 1 € 8.950,-



volume 2,3 cbm, 304 [1.4541]
wt.: 3/4 mm
drawing
yoc.: 2006

■ ■ ■ Stk. 1 € 3.250,-



volume 2,3 cbm, 316 [1.4571]
plug-in heater, 316
insulation

■ ■ ■ Stk. 1 € 3.500,-



volume 2,3 cbm, 316 [1.4429]
foot frame Fe (lacquered)
drawing

■ ■ ■ Stk. 1 € 2.150,-



volume 2,3 cbm, 304
double jacket, Fe
insulation
special anchor stirrer
order no. 5274

■ ■ ■ Stk. 1 € 5.950,-



volume 2,28 cbm, 316 [1.4571]
inside: 3 bar
double jacket, 304: 4 bar
insulation
15 kW - 1460 rpm

■ ■ ■ Stk. 1 € 15.800,-



7948

volume 2,2 cbm, 304
half-coils, 304: 2 bar
thermoplate, 304: 2 bar
agitator: 1,5 kW - 69 rpm

■ ■ ■ Stk. 1 € 5.750,-



8401

volume 2,2 cbm, 316 [1.4571]
rectangular tank

■ ■ ■ Stk. 1 € 1.750,-



6354

volume 2,2 cbm, 316 [1.4449]
insulation
1,1/1,8 kW - 14,5/29 rpm

■ ■ ■ Stk. 1 € 5.750,-



7318

volume 2,2 cbm, 316 [1.4401]
double jacket, 304: 6 bar
insulation
4 kW- 710 rpm
drawing

■ ■ ■ Stk. 1 € 6.950,-



7768

volume 2,13 cbm, 316 [1.4401]
inside: -1/+3 bar
double jacket, 304: 4 bar
insulation
agitator: 4 kW - 201 rpm

■ ■ ■ Stk. 1 € 8.950,-



7896

Reserviert: 1 Stk. bis:
10.02.2022

volume 2 cbm, 316 [1.4404]
-1/+3 bar; wt.: 6/8 mm
inside ground
TÜV-certificates

■ ■ ■ Stk. 1 € 6.250,-



K0046

volume 2 cbm, 316 [1.4404]
double jacket, 304: 3 bar
insulation
agitator flange
drawing

■ ■ ■ Stk. 1 € 12.500,-



7520

volume 2 cbm, 304

■ ■ ■ Stk. 2 € 1.750,-



7687

volume 2 cbm, 304
insulation

■ ■ ■ Stk. 2 € 3.250,-



7815

volume 2 cbm, 304 [1.4541]
lateral propeller

■ ■ ■ Stk. 1 € 2.650,-



8332

volume 2 cbm, 304

■ ■ ■ Stk. 1 € 2.650,-



7820

volume 2 cbm, 304
insulation

■ ■ ■ Stk. 1 € 1.950,-



7965

volume 2 cbm, 304
insulation
lateral agitator flange

■ ■ ■ Stk. 3 € 2.500,-



8099

volume 2 cbm, 304 [1.4541]
-1/+10 bar
wt.: 4,7/5,6 mm

■ ■ ■ Stk. 1 € 4.750,-



6876

volume 2 cbm, 316 [1.4401]
double jacket, 304
blades stirrer
without motor/gear

■ ■ ■ Stk. 1 € 4.500,-



6852

volume 2 cbm, 304
heating coils inside

■ ■ ■ Stk. 1 € 900,-



7508

volume 2000 litres, 304
cooling plate, 304 inside

■ ■ ■ Stk. 1 € 1.950,-



7759

volume 2 cbm, 304
double jacket, 304
insulation
anchor

■ ■ ■ Stk. 1 € 3.550,-



7157

volume 2 cbm, 304
insulation

■ ■ ■ Stk. 1 € 2.950,-



7467

volume 2 cbm, 304
half-coils, 304

■ ■ ■ Stk. 1 € 3.200,-



8091

volume 1,9 cbm, 316 [1.4571]
inside: -1/+3,2 bar; wt.: 5,7/6 mm
half-coils, 304: 16 bar
propeller: 1,1 kW - 571 rpm
drawing

■ ■ ■ Stk. 1 € 10.300,-



8120

volume 1,9 cbm, 304
insulation
propeller
0,2/0,92 kW - 175/365 rpm
drawing

■ ■ ■ Stk. 1 € 2.500,-



7265

volume 1,9 cbm, 304

■ ■ ■ Stk. 3 € 1.690,-



8079

volume 1,8 cbm, 316
inside: -1/+3,2 bar
half-coils, 304: 16 bar
insulation
propeller: 1,1 kW - 571 rpm

■ ■ ■ Stk. 2 € 10.850,-



8078

volume 1,8 cbm, 316 [1.4571]
inside: -1/+3,2 bar
half-coils, 304: 16 bar
propeller: 1,1 kW - 177 rpm

■ ■ ■ Stk. 1 € 10.850,-



volume 1,85 cbm, 316 [1.4539]
inside: -1/+4 bar
double jacket, 304: 6 bar
insulation
TÜV-certificates; agitator

☐☐☐ Stk. 1 € 17.750,-



volume 1,8 cbm, 316 [1.4401]
insulation

☐☐☐ Stk. 1 € 3.900,-



volume 1,79 cbm, 316 [1.4571]
double jacket, 304: 3 bar
insulation
anchor with teflon scrapers
3 kW - 36 rpm

☐☐☐ Stk. 1 € 7.950,-



volume 1,75 cbm, 316 [1.4571]
inside: -1 bar; TÜV-certificates
half-coils, 304: 15,4 bar
insulation
agitator: 7,5 / 9 kW

☐☐☐ Stk. 1 € 8.800,-



volume 1,7 cbm, 304

☐☐☐ Stk. 1 € 1.750,-



volume 1,6 cbm, 304
insulation

☐☐☐ Stk. 1 € 3.600,-



volume 1,6 cbm, 304
insulation

☐☐☐ Stk. 1 € 2.250,-



volume 1,6 cbm, 316 [1.4435]
design pressure: -1/+3,2 bar
paddle stirrer without
motor/gear

☐☐☐ Stk. 1 € 3.700,-



volume 1,6 cbm, 304
edge mixer
0,75 kW - 1390 rpm

☐☐☐ Stk. 1 € 1.750,-



volume 1,6 cbm, 304
insulation

☐☐☐ Stk. 1 € 3.200,-



volume 1,6 cbm, 304
double jacket, 304

☐☐☐ Stk. 1 € 3.150,-



volume 1,5 cbm, 316 [1.4404]
double jacket, 316: 1,9 bar
disolver: 5,5 kW - 1455 rpm
drawing

☐☐☐ Stk. 1 € 9.850,-



volume 1,5 cbm, 304
insulation

☐☐☐ Stk. 1 € 2.950,-



volume 1,5 cbm, 304
inside: 2 bar
double jacket, 304: 3 bar
insulation
agitator flange

☐☐☐ Stk. 1 € 5.750,-



Inhalt 1,5 cbm, 304
double jacket, 304: 4 bar
insulation
anchor stirrer

☐☐☐ Stk. 1 € 8.650,-



volume 1,5 cbm, 304

☐☐☐ Stk. 1 € 1.950,-



volume 1,5 cbm, 304

☐☐☐ Stk. 1 € 1.970,-



volume 1,5 cbm, 304
cooling plate, 304 inside

☐☐☐ Stk. 2 € 2.375,-



volume 1,5 cbm, 304
half-coils, 304
half-coils, 304: 6 bar
insulation
propeller: 1,1 kW - 450 rpm

☐☐☐ Stk. 2 € 4.600,-



volume 1,49 cbm, 316 [1.4404]
inside: -1/+2 bar
half-coils, 304: 6 bar
insulation
magnetic agitator without motor/

☐☐☐ Stk. 1 € 8.450,-



volume 1,4 cbm, 316 [1.4435]
-1/+1 bar; wt.: 5 mm
propeller: 1,5 kW - 694 rpm
drawing; various documents
yoc.: 2011

☐☐☐ Stk. 1 € 15.950,-



volume 1,4 cbm, 316 [1.4435]
-1/+1 bar; wt.: 5 mm
inside + outside electropolished
agitator flange; yoc.: 2011
drawing; various documents

☐☐☐ Stk. 1 € 11.450,-



volume 1,4 cbm, 304

☐☐☐ Stk. 2 € 2.000,-



volume 1,4 cbm, 304
propeller: 2,2 kW
200 - 1000 rpm

☐☐☐ Stk. 1 € 2.550,-



volume 1,4 cbm, 304

☐☐☐ Stk. 1 € 1.850,-



volume 1,3 cbm, 316 [1.4571]
inside: -1/+6 bar
double jacket, 316: -1/+6 bar
wt.: 6/8/10 mm
TÜV-certificates

■ ■ ■ Stk. 1 € 4.250,-



volume 1,3 cbm, 316
bulk container
frame, 304
outlet 350 mm

■ ■ ■ Stk. 1 € 1.690,-



volume 1,3 cbm, 316 [1.4571]
inside: -1/+3,2 bar
half-coils, 304: 16 bar
propeller: 1,1 kW - 313 rpm
drawing

■ ■ ■ Stk. 2 € 10.450,-



volume 1,3 cbm, 316 [1.4571]
inside: -1/+3,2 bar; wt.: 4/5 mm
half-coils, 304: 16 bar
insulation
drawing

■ ■ ■ Stk. 1 € 6.450,-



volume 1,3 cbm, 316
inside: -1/+3,2 bar
half-coils, 304: 16 bar
insulation
propeller: 1,1 kW - 313 rpm

■ ■ ■ Stk. 1 € 10.450,-



volume 1,3 cbm, 316 [1.4571]
inside: -1/+3,2 bar
half-coils, 304: 16 bar
wt.: 4,4/5 mm
drawing

■ ■ ■ Stk. 1 € 6.450,-



volume 1,3 cbm, 316 [1.4571]
inside: -1/+3,2 bar
wt.: 4/5 mm
half-coils, 304: 16 bar
drawing

■ ■ ■ Stk. 1 € 6.450,-



volume 1,3 cbm, 316 [1.4571]
inside: -1/+3 bar
double jacket, 304: 3 bar
agitator: 0,75 kW - 49 rpm

■ ■ ■ Stk. 1 € 13.950,-



volume 1,3 cbm, 316 [1.4571]
inside: -1/+3,2 bar
half-coils, 304: 16 bar
propeller: 1,1 kW - 571 rpm
drawing

■ ■ ■ Stk. 3 € 10.250,-



volume 1,3 cbm, 316 [1.4571]
inside: -1/+3,2 bar
wt.: 3/4,1/5 mm
half-coils, 304: 16 bar
drawing

■ ■ ■ Stk. 3 € 6.450,-



volume 1,3 cbm, 304

■ ■ ■ Stk. 1 € 2.500,-



volume 1,3 cbm, 316 [1.4571]
-1/+3,2 bar
wt.: 3/4,1/5 mm
drawing

■ ■ ■ Stk. 1 € 3.350,-



volume 1,3 cbm, Fe (enamelled)
-1/+6 bar

■ ■ ■ Stk. 1 € 4.500,-



volume 1,2 cbm, 316 [1.4435]
inside: -1/+4 bar
double jacket, 304: 2,5 bar
insulation
agitator without motor

■ ■ ■ Stk. 1 € 5.950,-



volume 1,25 cbm, 304 [1.4541]

■ ■ ■ Stk. 1 € 1.750,-



volume 1,2 cbm, Fe enamelled
inside: -1/+3,2 bar
double jacket, Fe: 6 bar
drawing

■ ■ ■ Stk. 1 € 4.500,-



volume 1,2 cbm, 304
-1/+0,5 bar
outlet 250 mm
drawing

■ ■ ■ Stk. 6 € 3.650,-



volume 1,2 cbm, 304
- unused -
3 bar; wt.: 5/6/8 mm
yoc.: 2018
TÜV-certificates

■ ■ ■ Stk. 1 € 4.500,-



volume 1,2 cbm, 316 [1.4401]
bulk container
frame, 304

■ ■ ■ Stk. 7 € 1.595,-



volume 1,2 cbm, 304
bulk container
frame, 304
outlet 250 mm

■ ■ ■ Stk. 1 € 1.350,-



volume 1,2 cbm, 316 [1.4401]
frame, Fe (lacquert)

■ ■ ■ Stk. 3 € 1.250,-



volume 1,2 cbm, 304

■ ■ ■ Stk. 1 € 1.380,-



volume 1,2 cbm, 316 [1.4404]
bulk container
Gestell V2A
several documents

■ ■ ■ Stk. 84 € 1.595,-



volume 1,2 cbm, 304
-1/+1 bar
inside polished, outside ground
agitator: 2,2 kW / 0 - 800 rpm
TÜV-certificates

■ ■ ■ Stk. 1 € 7.850,-



Reserviert: 23 Stk. bis:
28.01.2022

volume 1,2 cbm, 304
bulk container
frame 304
outlet 250 mm
drawing

■ ■ ■ Stk. 23 € 1.430,-



volume 1,2 cbm, 304

Stk. 1 € 2.500,-

volume 1,2 cbm, 304
propeller
4 kW - 1420 rpm

Stk. 3 € 1.790,-

volume 1,15 cbm, 316 [1.4571]
inside Halar-coating
inside: -1/+0,6 bar
half-coils, 316
agitator flange; insulation

Stk. 1 € 5.900,-

volume 1,15 cbm, 316 [1.4571]
inside: -1/+0,6 bar
half-coils, 316: 3 bar
insulation
agitator flange

Stk. 1 € 5.900,-

volume 1,15 cbm, 304
double jacket, 304: 5 bar
CE-marking
agitator: 0,75 kW / 14-70 rpm

Stk. 1 € 8.750,-

volume 1,1 cbm, 316 [1.4401]
rectangular construction
foot frame, Fe (galvanized)

Stk. 1 € 800,-

volume 1,1 cbm, 304
insulation
propeller
0,2/0,92 kW-175/365 rpm

Stk. 1 € 1.250,-

volume 1,1 cbm, 304
-0,5/+1 bar
agitator: 1,85 kW / 0 - 225 rpm
drawing; agitator documents

Stk. 3 € 6.650,-

volume 1,1 cbm, 304
half-coils, 304: 2 bar
Armaflex-insulation
0,75 kW - 1400 rpm

Stk. 1 € 2.750,-

volume 1,1 cbm, 316 [1.4401]
insulation
frame, Fe

Stk. 1 € 1.200,-

volume 1,1 cbm, 316 [1.4429]
double jacket, 304
agitator: 2,2 kW - 274 rpm

Stk. 1 € 3.850,-

volume 1,1 cbm, 316 [1.4571]
double jacket, 304: 3 bar
insulation
anchor without motor/gear

Stk. 1 € 4.250,-

volume 1,1 cbm, 304
insulation
agitator: 1,5/1,8 kW
294/354 rpm

Stk. 1 € 3.400,-

volume 1,1 cbm, 304
frame, Fe (lacquert)

Stk. 3 € 1.050,-

volume 1,1 cbm, 316 [1.4401]
double jacket, 304
agitator: 2,2 kW - 279 rpm

Stk. 1 € 3.850,-

volume 1,1 cbm, 316 [1.4571]
-1/+6 bar
wt.: 4/6 mm
test certificates

Stk. 1 € 3.550,-

volume 1 cbm, 316 [1.4401]
cone container
frame, 304

Stk. 2 € 885,-

volume 1 cbm, 304
rectangular construction

Stk. 1 € 1.590,-

volume 1 cbm, 316 [1.4401]
double jacket, 304: 2,5 bar
insulation
frame, Fe (galvanized)
drawing

Stk. 2 € 1.250,-

volume 1,05 cbm, 304
Frame, Fe (lacquert)

Stk. 6 € 1.025,-

volume 1 cbm, 304
rectangular construction
frame, Fe (galvanized)

Stk. 1 € 680,-

volume 1 cbm, 304
round container
frame Fe (galvanized)

Stk. 1 € 750,-

volume 1 cbm, 304
round container
frame Fe (galvanized)

Stk. 1 € 470,-

volume 1 cbm, 316 [1.4401]
double jacket, 304
insulation
anchor stirrer
0,75 kW - 28 rpm

Stk. 1 € 7.590,-

volume 1 cbm, 304
air insulation
0,35 kW - 400 rpm

Stk. 1 € 2.400,-



volume 1 cbm, 316 (1.4571)
rectangular construction
frame, Fe (galvanized)

■ ■ ■ Stk. 1 € 800,-



volume 1 cbm, 316 (1.4401)
round container

■ ■ ■ Stk. 9 € 1.150,-



volume 1 cbm, 304
round container

■ ■ ■ Stk. 7 € 550,-



volume 1 cbm, 304
-0,15/+1 bar
round container
drawing

■ ■ ■ Stk. 32 € 890,-



volume 1 cbm, 316 (1.4401)
bulk container
mobile frame 304
outlet 250 mm

■ ■ ■ Stk. 16 € 1.575,-



volume 1 cbm, 304
frame, 304

■ ■ ■ Stk. 1 € 1.500,-



volume 1 cbm, 316 (1.4401)
round container

■ ■ ■ Stk. 1 € 850,-



volume 1 cbm, 304

■ ■ ■ Stk. 1 € 1.250,-



volume 1 cbm, 304
IBC containers
frame Fe (galvanized)

■ ■ ■ Stk. 5 € 765,-



volume 1 cbm, 304
rectangular construction
frame Fe (galvanized)
test certificate

■ ■ ■ Stk. 30 € 795,-



volume 1 cbm, 304
- round container -
outside high-gloss
frame Fe (galvanized)

■ ■ ■ Stk. 2 € 625,-



volume 1 cbm, 304
bulk container
frame Fe (galvanized)
outlet 250 mm
drawing

■ ■ ■ Stk. 25 € 1.200,-



volume 1 cbm, 316 (1.4571)
-1/+6 bar
wt.: 6/8 mm
TÜV-certificates

■ ■ ■ Stk. 1 € 3.950,-



volume 1 cbm, 304

■ ■ ■ Stk. 2 € 1.550,-



volume 1 cbm, 304
inside: 0,5 bar
half-coils, 304: 1 bar
anchor: 1,5/4,5 kW

■ ■ ■ Stk. 1 € 5.250,-



volume 1 cbm, 304
rectangular construction
frame Fe (galvanized)

■ ■ ■ Stk. 16 € 765,-



volume 1 cbm, 304
rectangular construction
frame, 304

■ ■ ■ Stk. 2 € 495,-



volume 1 cbm, 304
anchor with plastic scrapers
2,2 kW / 4,5 - 34 rpm

■ ■ ■ Stk. 1 € 4.350,-



volume 1 cbm, 304
0,75 kW - 104 rpm
yoc.: 2009

■ ■ ■ Stk. 1 € 2.350,-



volume 1 cbm, 316 (1.4571)
double jacket, 304: 3 bar
insulation
anchor without
motor/gear

■ ■ ■ Stk. 1 € 3.900,-



volume 1 cbm, 304
rectangular construction

■ ■ ■ Stk. 1 € 750,-



volume 1 cbm, 304

■ ■ ■ Stk. 1 € 1.650,-



volume 1 cbm, 304
rectangular construction
frame, Fe (galvanized)

■ ■ ■ Stk. 6 € 620,-



volume 1 cbm, 304
frame, Fe (lacquert)

■ ■ ■ Stk. 2 € 950,-



volume 1 cbm, 304
Round container

■ ■ ■ Stk. 4 € 890,-



7495

volume 1 cbm, 304
- rectangular construction -
frame Fe (galvanized)

■ ■ ■ Stk. 9 € 680,-



8395

volume 1 cbm, 316 (1.4571)
IBC container
frame, 304

■ ■ ■ Stk. 1 € 850,-



8357

volume 1 cbm, 304
rectangular construction
frame, Fe (galvanized)

■ ■ ■ Stk. 1 € 680,-



8295

volume 1 cbm, 304
electr. heating cable
insulation
frame, 304

■ ■ ■ Stk. 1 € 3.950,-



8328

volume 1 cbm, 304
double jacket, 304: 6 bar
insulation
frame, 304
drawing

■ ■ ■ Stk. 1 € 3.750,-



8266

volume 1 cbm, 304

■ ■ ■ Stk. 3 € 1.690,-



6823

volume 1 cbm, 304
2 bar
insulation
cage Fe (galvanized)
TÜV-certificates

■ ■ ■ Stk. 13 € 1.100,-



7639

volume 1 cbm, 304
bulk container
frame 304
outlet 250 mm
drawing

■ ■ ■ Stk. 27 € 1.250,-



7967

volume 1 cbm, 304
insulation
anchor: 0,55 kW

■ ■ ■ Stk. 1 € 2.900,-



7870

volume 1 cbm, 304
- round container -
frame, 304

■ ■ ■ Stk. 10 € 750,-



7861

volume 1 cbm, 316 (1.4571)
double jacket, 304: 3 bar
insulation
anchor without motor/gear

■ ■ ■ Stk. 1 € 3.900,-



7031

volume 1 cbm, 316 (1.4571)
inside: -1/+0,5 bar
half-coils, 304: 6 bar
4,5/5,5 kW - 48,5/97 rpm

■ ■ ■ Stk. 1 € 5.650,-



7943

volume 1 cbm, 304

■ ■ ■ Stk. 1 € 850,-



7961

volume 1 cbm, 304
1 bar
round container

■ ■ ■ Stk. 6 € 795,-



7653

volume 1 cbm, 304

■ ■ ■ Stk. 1 € 1.950,-



8452

volume 1 cbm, 304
rectangular construction
frame Fe (galvanized)

■ ■ ■ Stk. 16 € 765,-



8356

volume 1 cbm, 304
rectangular construction
frame, Fe (galvanized)

■ ■ ■ Stk. 3 € 680,-



6961

volume 1 cbm, 316 (1.4401)

■ ■ ■ Stk. 7 € 3.800,-



6586

volume 990 litres, 304 (1.4541)
propeller
1 kW / 50 - 300 rpm

■ ■ ■ Stk. 2 € 2.900,-



8042

volume 980 liter, 304
insulation
drawing

■ ■ ■ Stk. 1 € 2.950,-



8354

volume 960 liter, 304
rectangular construction
frame, 304

■ ■ ■ Stk. 1 € 725,-



6939

volume 950 litres, 316 (1.4435)
half-coils, 304
insulation
1,5 kW / 20 - 120 rpm

■ ■ ■ Stk. 1 € 4.900,-



7231

volume 950 litres, 304

■ ■ ■ Stk. 1 € 1.350,-



7401

volume 940 litres, 304
agitator data different

■ ■ ■ Stk. 3 € 2.150,-



7383

volume 900 litres, 304

■ ■ ■ Stk. 1 € 1.650,-



8517

volume 900 liter, 304

■ ■ ■ Stk. 1 € 750,-



6999

volume 900 litres, 316 [1.4571]

■ ■ ■ Stk. 1 € 2.350,-



7949

volume 850 liter, 316 [1.4404]
insulation
dissolver
4 kW - 1440 rpm

■ ■ ■ Stk. 1 € 3.900,-



7681

volume 835 litres, 316 [1.4571]
4 bar
agitator flange lower bottom

■ ■ ■ Stk. 1 € 4.250,-



8329

volume 800 liter, 304
rectangular construction
frame Fe (galvanized, lacquered)

■ ■ ■ Stk. 17 € 635,-



8516

volume 800 liter, 304

■ ■ ■ Stk. 1 € 650,-



8454

volume 800 liter, 304
1 bar
round container

■ ■ ■ Stk. 39 € 750,-



8316

volume 800 liter, 304

■ ■ ■ Stk. 1 € 1.350,-



8464

volume 800 liter, 304
-0,15/+1 bar
round container
drawing

■ ■ ■ Stk. 238 € 700,-



8164

volume 800 liter, 304
rectangular construction
frame Fe (galvanized)

■ ■ ■ Stk. 13 € 635,-



K0016

volume 800 litres, 304
1 bar
round container

■ ■ ■ Stk. 130 € 690,-



8402

volume 800 liter, 304
round container
inside: -0,4/+1,5 bar
double jacket lower bottom

■ ■ ■ Stk. 53 € 1.100,-



8515

volume 800 liter, 304

■ ■ ■ Stk. 1 € 650,-



8510

volume 800 liter, 316

■ ■ ■ Stk. 1 € 1.100,-



6292

volume 780 litres, 316 [1.4571]
rectangular construction
order no. 6292

■ ■ ■ Stk. 1 € 1.150,-



8217

volume 750 liter, 316 [1.4401]
cone container
foot frame, 316

■ ■ ■ Stk. 4 € 500,-



8209

volume 750 liter, 304

■ ■ ■ Stk. 1 € 770,-



7518

volume 750 litres, 304
double jacket, 304
insulation
propeller: 0,37 kW

■ ■ ■ Stk. 2 € 4.450,-



8185

volume 750 liter, 304
rectangular construction

■ ■ ■ Stk. 2 € 280,-



7272

volume 750 litres, 316 [1.4571]
inside: 2,5 bar
double jacket, 304: 2,5 bar
insulation

■ ■ ■ Stk. 1 € 3.850,-



7995

volume 740 liter, 316 [1.4571]
inside: -1/+6 bar
half-coils, 316: -1/+6 bar
drawing

■ ■ ■ Stk. 1 € 2.950,-



6796

volume 721 litres, 316 [1.4571]
innen: -1/+3 bar
double jacket, 304: 1 bar
insulation
propeller: 1,1 kW / 100 - 500 rpm

■ ■ ■ Stk. 1 € 8.900,-



7464

volume 720 litres, 316 [1.4571]
inside: 2 bar
half-coils, 316: 6 bar
blades stirrer without
motor/gear

■ ■ ■ Stk. 1 € 4.900,-



7686

volume 710 litres, 316 [1.4539]
inside: -1/+4 bar
double jacket, 304: 6 bar
insulation; TÜV-certificates
propeller: 0,55 kW - 900 rpm

■ ■ ■ Stk. 1 € 12.500,-



8216

volume 700 liter, 304

■ ■ ■ Stk. 1 € 600,-



volume 700 litres, 304
inside heating coil, 304
frame, Fe (lacquered)
agitator: 1420 rpm

■ ■ ■ Stk. 1 € 1.750,-



volume 700 liter, 304
frame, 304

■ ■ ■ Stk. 1 € 500,-



volume 700 liter, 316 (1.4571)
agitator: 1,35 kW/350 - 1750 rpm

■ ■ ■ Stk. 1 € 2.350,-



volume 700 litres, 316 (1.4401)
agitator: 4 kW - 2860 rpm

■ ■ ■ Stk. 1 € 2.850,-



volume 680 litres, 316 (1.4404)
innen: -1/+2 bar
double jacket, 304: -1/+3,5 bar
insulation
inside + outside ground

■ ■ ■ Stk. 1 € 6.800,-



volume 650 litres, 316 (1.4401)
inside: 1,7 bar
double jacket, 304: 10 bar
insulation
inside + outside ground

■ ■ ■ Stk. 1 € 6.750,-




volume 650 litres, 316 (1.4401)
inside + outside polished

■ ■ ■ Stk. 2 € 1.850,-



volume 650 liter, 304

■ ■ ■ Stk. 1 € 650,-



volume 650 litres, 316 (1.4435)
wt.: 3/4 mm

■ ■ ■ Stk. 1 € 1.900,-



volume 650 liter, 304
blades stirrer
0,55 kW - 120 rpm

■ ■ ■ Stk. 1 € 1.950,-



volume 650 litres, 316
wt.: 3/4 mm

■ ■ ■ Stk. 1 € 1.900,-




volume 650 liters, 316 (1.4571)
insulation

■ ■ ■ Stk. 2 € 2.980,-



volume 650 litres, 304
inside: 1,5 bar
half-coils, 304: 8 bar
insulation
propeller: 1 kW - 1415 rpm

■ ■ ■ Stk. 1 € 7.950,-



volume 630 litres, 316
wt.: 2,5/4 mm

■ ■ ■ Stk. 2 € 1.800,-



■ ■ ■ Stk. 1 € 3.450,-




volume 630 liter, 304
insulation
propeller agitator

■ ■ ■ Stk. 1 € 1.950,-



volume 630 litres, 316 (1.4571)
inside: -1/+6 bar
half-coils, 316: 32 bar
anchor without motor/gear

■ ■ ■ Stk. 1 € 6.450,-



volume 630 litres, 304
inside: 2,5 bar
double jacket, 304
insulation
0,75 or 2,2 kW - 690 rpm

■ ■ ■ Stk. 1 € 4.900,-




volume 630 liter, 304
insulation
agitator connection

■ ■ ■ Stk. 1 € 1.750,-



volume 600 litres, 316
rectangular construction
inside + outside IIIId
(high-gloss)
agitator

■ ■ ■ Stk. 1 € 1.890,-



volume 600 litres, 316
wt.: 3 mm

■ ■ ■ Stk. 1 € 1.800,-



volume 600 litres, 316 (1.4401)

■ ■ ■ Stk. 1 € 2.450,-



volume 600 liter, 304
frame Fe (lacquered)

■ ■ ■ Stk. 13 € 525,-



volume 565 litres, 316 (1.4401)

■ ■ ■ Stk. 1 € 2.350,-




volume 560 litres, 316 (1.4401)
half-coils, 304: 10 bar
insulation
propeller: 0,95 kW - 690 rpm

■ ■ ■ Stk. 2 € 3.250,-


7561

volume 560 litres, 316 [1.4571]
 half-coils, 304: 10 bar
 insulation
 propeller: 0,95 kW - 695 rpm
 TÜV-certificates

■ ■ ■ Stk. 2 € 3.450,-


5496

volume 550 litres, 316 [1.4571]
 -1/+3 bar
 insulation
 inside + outside ground
 propeller: 1,1 kW - 910 rpm

■ ■ ■ Stk. 1 € 2.900,-


6585

volume 550 litres, 304 [1.4541]
 propeller
 1 kW / 50 - 300 rpm

■ ■ ■ Stk. 2 € 2.600,-


8259

volume 550 liter, 316
 -1/+3 bar
 frame, st. st.

■ ■ ■ Stk. 3 € 2.450,-


7954

volume 545 liter, 304
 frame Fe (galvanized)
 inside & outside high-gloss
 cup stirrer
 0,75 kW - 196 rpm

■ ■ ■ Stk. 2 € 2.980,-


7160

volume 540 litres, 316 [1.4435]
 inside: -1/+3 bar
 double jacket, 304
 insulation

■ ■ ■ Stk. 1 € 3.950,-


8407

volume 500 liter, 304
 IBC container
 frame, Fe (galvanized)

■ ■ ■ Stk. 38 € 450,-


8296

volume 500 liter, 304
 cooling coil, copper
 insulation
 propeller: 0,25 kW - 900 rpm

■ ■ ■ Stk. 1 € 2.650,-


7470

volume 500 litres, 304
 insulation

■ ■ ■ Stk. 1 € 1.900,-


7876

volume 500 litres, 304
 IBC container
 frame, Fe (galvanized)

■ ■ ■ Stk. 9 € 450,-


7384

volume 500 litres, 304
 heating coil inside, 304
 agitator: 0,37 kW - 78 rpm

■ ■ ■ Stk. 5 € 1.750,-


7379

volume 500 litres, 304
 yoc.: 2009
 1,1 kW - 176 rpm

■ ■ ■ Stk. 1 € 1.750,-


7797

volume 500 litres, 316 [1.4401]
 -1/+0,5 bar
 frame, 304

■ ■ ■ Stk. 5 € 2.350,-


7804

volume 500 litres, 316
 -1 bar

■ ■ ■ Stk. 2 € 1.450,-


8427

volume 500 liter, 304
 0,5 bar

■ ■ ■ Stk. 1 € 980,-


7156

volume 500 litres, 304

■ ■ ■ Stk. 1 € 1.350,-


7375

volume 500 litres, 304
 anchor: 1,5 kW - 33 rpm

■ ■ ■ Stk. 1 € 1.750,-


8393

volume 500 liter, 316 [1.4401]
 0,5 bar
 cone container

■ ■ ■ Stk. 2 € 980,-


7462

volume 500 litres, 316 [1.4401]
 electr. plug-in heater
 insulation
 inside polished

■ ■ ■ Stk. 2 € 1.950,-


8406

volume 500 liter, 304
 rectangular container
 frame, Fe (galvanized)

■ ■ ■ Stk. 14 € 450,-


8502

volume 500 liter, 304
 double jacket, 304
 foot frame, 304
 propeller:
 0,55 kW - 705 rpm

■ ■ ■ Stk. 1 € 2.300,-


7378

volume 500 litres, 304
 yoc.: 2011
 2,2 kW - 160 rpm

■ ■ ■ Stk. 1 € 1.850,-


8493

volume 495 liter, 316 [1.4401]
 inside: 3 bar
 double jacket, 304: 2 bar
 insulation
 agitator: 3 kW - 210 rpm

■ ■ ■ Stk. 1 € 9.000,-


7255

volume 479 litres, 316 [1.4435]
 -1/+3 bar
 inside + outside electropolished
 Zeichnung; techn. documents

■ ■ ■ Stk. 6 € 4.750,-


6997

volume 455 litres, 316 [1.4571]
 - unused -
 6,9 bar; yoc. 2014
 drawing

■ ■ ■ Stk. 1 € 2.150,-



volume 450 litres, 304
-0,5/+1 bar
agitator: 1,85 kW / 0 - 600 rpm
drawing

■ ■ ■ Stk. 2 € 4.950,-



volume 450 litres, 304
heating coil, 304 inside
insulation

■ ■ ■ Stk. 3 € 1.150,-



volume 445 litres, 304
IBC container
rectangular construction
frame Fe (galvanized)
test certificates

■ ■ ■ Stk. 16 € 446,-



volume 440 liter, 304
inside: 0,5 bar
double jacket, 304
Tilting frame, 304
mobile frame Fe (lacquered)

■ ■ ■ Stk. 1 € 2.950,-



volume 440 litres, 304
feet Fe
order no. 6277

■ ■ ■ Stk. 1 € 450,-



■ ■ ■ Stk. 1 € 26.500,-



volume 420 litres, 304
double jacket, 304
anchor stirrer
order no. 5132

■ ■ ■ Stk. 1 € 4.850,-



volume 400 litres, aluminium
2-chamber-container
- rectangular construction -
order no. 6081

■ ■ ■ Stk. 2 € 490,-



volume 400 liter, 316 [1.4401]

■ ■ ■ Stk. 1 € 890,-



volume 400 litres, 316 [1.4571]
mobile frame, 304

■ ■ ■ Stk. 1 € 1.450,-



volume 400 litres, aluminium
- rectangular construction -
order no. 6069

■ ■ ■ Stk. 40 € 490,-



volume 400 liter, 316 [1.4404]
inside: -1/+3 bar
double jacket, 304: -1/+4 bar
insulation
magnetic agitator

■ ■ ■ Stk. 1 € 14.500,-



volume 400 litres, 304 [1.4541]

■ ■ ■ Stk. 1 € 1.250,-



volume 400 liter, 316 [1.4571]
-1/+3,2 bar
wt.: 3/3,6/4 mm
drawing

■ ■ ■ Stk. 1 € 2.450,-



volume 396 litres, 316 [1.4571]
working pressure acc. to techn.
drawing
inside: 3 bar
double jacket, 304: 2 bar

■ ■ ■ Stk. 2 € 2.450,-



volume 380 liter, 316 [1.4571]
inside: -1/+6 bar
double jacket, 304: -1/+6 bar
insulation
propeller: 191/382 rpm

■ ■ ■ Stk. 1 € 7.850,-



volume 375 litres, 304 [1.4541]
inside: 7,6 bar
double jacket, 304: 3 bar
anchor
frame, 304

■ ■ ■ Stk. 1 € 3.750,-



volume 360 litres, 316 [1.4571]
-1/+3,2 bar
insulation
inside + outside polished

■ ■ ■ Stk. 1 € 5.900,-



volume 350 liter, 304

■ ■ ■ Stk. 1 € 1.350,-



volume 338 liter, 316 [1.4401]
inside: 3,5 bar
double jacket, 304: 6 bar
insulation
frame, 304

■ ■ ■ Stk. 1 € 5.800,-



volume 320 litres, 316 [1.4401]
-1/+0,5 bar
frame, 304

■ ■ ■ Stk. 32 € 1.490,-



volume 313 litres, 316 [1.4439]
inside: 3 bar
half-coils, 304: 10 bar
anchor: 4 kW

■ ■ ■ Stk. 1 € 3.150,-



volume 312 liter, 316 [1.4404]
inside: -1/+3 bar
double jacket, 316: -1/+6 bar
insulation
magnetic agitator

■ ■ ■ Stk. 1 € 15.300,-



volume 312 liter, 316 [1.4404]
inside: -1/+6 bar
double jacket, 316: -1/+6 bar
insulation
magnetic agitator

■ ■ ■ Stk. 3 € 16.300,-



volume 310 liter, 316 [1.4401]
1 bar
insulation
high-gloss inside

■ ■ ■ Stk. 2 € 3.200,-



volume 300 liters, 304
heating coil, 304 inside
agitator flange

Stk. 1 € 1.350,-



volume 300 litres, Fe
inside: -1/+3 bar
double jacket with
electr. trace heating
propeller: 0,75 kW - 194 rpm

Stk. 1 € 400,-



volume 300 liter, 304

Stk. 1 € 980,-



volume 300 litres, 316 (1.4401)
- unused -
agitator: 0,37 kW - 137 rpm

Stk. 1 € 2.750,-



volume 300 litres, 316 (1.4401)
bulk goods container

Stk. 14 € 590,-



volume 295 litres, 316 (1.4401)
inside: 0,5 bar
double jacket, 304: 3 bar
insulation
inside + outside ground

Stk. 1 € 4.250,-



volume 295 litres, Fe
0,5 bar
electr. trace heating
insulation
div. documents

Stk. 1 € 950,-



volume 280 liter, 304
6 bar

Stk. 1 € 1.950,-



volume 280 litres, 304
propeller
1,1 kW - 443 rpm

Stk. 1 € 2.950,-



volume 280 liter, 304
insulation
yoc.: 2009

Stk. 1 € 1.450,-



volume 280 liter, 304
round container
frame, 304

Stk. 1 € 650,-



volume 280 liter, 316 (1.4404)
inside: -1/+3,5 bar
double jacket, 304: -1/+3 bar
insulation
agitator: 0,55 kW - 339 rpm

Stk. 3 € 10.550,-



volume 265 liter, 304
inside: 20,5 bar
double jacket, 304: 0,49 bar
propeller: 1,5 kW / 90 - 546 rpm

Stk. 3 € 3.550,-



volume 250 litres, 304
order no. 6274

Stk. 1 € 570,-



volume 250 liter, 316 (1.4401)
0,5 bar

Stk. 5 € 550,-



volume 250 litres, 304
double jacket, 304: 4 bar
insulation

Stk. 1 € 550,-



volume 210 liter, 304

Stk. 1 € 950,-



volume 200 liter, 316 (1.4401)
inside: 3,5 bar
double jacket, 304: 2 bar
insulation
magnetic agitator

Stk. 1 € 9.700,-



volume 200 litres, 316 (1.4401)
insulation
special anchor from below
0,88/1,3 kW - 16,5/32 rpm

Stk. 1 € 6.950,-



volume 180 litres, 316 (1.4571)
-1/+0,5 bar
cage 304
inside polished

Stk. 1 € 950,-



volume 180 litres, 304
rectangular construction
no outlet in the lower bottom

Stk. 1 € 650,-



volume 180 liter, 304
round container

Stk. 4 € 400,-



Powder mixer, 304
appr. 170 liter
frame, 304
star mixer
3,6/5,25 kW - 195/390 rpm

Stk. 1 € 2.500,-



volume 160 litres, 304
loose mobile frame, 304
no outlet in the lower bottom

Stk. 1 € 450,-



volume 160 litres, 304
insulation
0,35 kW - 400 rpm

Stk. 1 € 1.900,-



volume 150 liter, 316 (1.4404)
inside: -1/+3 bar
double jacket, 304: -1/+4 bar
insulation
magnetic agitator: 0,55 kW - 377

Stk. 1 € 13.800,-



Reserviert: 1 Stk. bis:
11.02.2022

volume 140 litres, 316 (1.4571)
3 bar
0,37 kW - 920 rpm

Stk. 1 € 4.750,-



volume 130 litres, 316 (1.4404)
1,5 bar
inside + outside polished
order no. 6312

Stk. 7 € 1.750,-



Reserviert: 1 Stk. bis:
04.02.2022

volume 130 litres, 316 (1.4401)
3 bar

Stk. 1 € 2.650,-



volume 130 litres, 316 (1.4404)
-1/+3 bar
inside + outside polished
drawing
partly TÜV-certificates

Stk. 12 € 2.150,-



volume 125 litres, 304
square construction
loose mobile frame, 304
internal coating (Rilsan)

Stk. 3 € 395,-



volume 125 litres, 316 (1.4404)
-1/+3 bar
inside + outside ground
order no. 5951

Stk. 1 € 3.150,-



volume 110 litres, 316 (1.4401)
3 bar
polished inside

Stk. 1 € 2.450,-



volume 105 litres, 316 (1.4404)
inside: 0,5 bar
double jacket, 304: 3 bar
insulation
inside polished

Stk. 1 € 2.950,-



volume 100 liter, 304

Stk. 4 € 185,-



volume 100 liter, 304
double jacket, 304: 4 bar
insulation

Stk. 1 € 850,-



volume 100 litres, 316 (1.4571)
half-coils, 316
propeller

Stk. 1 € 2.250,-



volume 100 liter, 316 (1.4571)
-1/+6 bar

Stk. 1 € 1.250,-





volume 100 litres, 304
IBC container
rectangular construction
drawing; test certificates

Stk. 1 € 3.350,-



volume 100 litres, 304
IBC container
rectangular construction
drawing; test certificates

Stk. 19 € 725,-



Stk. 1 € 1.900,-



volume 100 litres, 304

Stk. 1 € 750,-



volume 100 litres, 316 (1.4429)
-1/+3,5 bar
inside + outside polished
0,25 kW - 558 rpm
operating instruction

Stk. 1 € 4.850,-



volume 95 liter, 304
frame, 304
incl. pump

Stk. 1 € 900,-



volume 90 litres, 316 (1.4571)
half-coils, 304
anchor
17 - 155 rpm

Stk. 1 € 1.550,-



volume 80 liter, 316 (1.4404)
2 bar
magnetic agitator

Stk. 1 € 1.300,-



volume 80 litres, 316 (1.4404)
2 bar
inside + outside polished
order no. 6313

Stk. 4 € 1.650,-



volume 80 litres, 304
double jacket, 304
coaxial agitator
anchor with teflon scrapers

Stk. 1 € 4.850,-



volume 80 liter, 316 (1.4401)
inner coating made of plastic

Stk. 1 € 1.450,-



volume 76 litres, 304
-1/+3 bar
inside + outside ground

Stk. 1 € 2.300,-



8233

volume 70 liter, 316 (1.4404)
inside: -1/+3 bar
double jacket, 316: -1/+1,5 bar
inside & outside ground
magnetic agitator

■■■ Stk. 8 € 1.200,-



7770

Reserviert: 11 Stk. bis:
14.02.2022

volume 70 litres, 304
- unused -
IBC container
drawing
test certificate

■■■ Stk. 15 € 725,-



8073

volume 61 liter, 316 (1.4404)
-1/+16 bar
Armaflex-insulation
yoc.: 2007
drawing

■■■ Stk. 1 € 1.150,-



8249

Mixing system, 304
Techn. documents

■■■ Stk. 1 € 4.900,-



8234

volume 53 liter, V₄A (1.4404)
inside: -1/+4 bar
double jacket, 304: 1,5 bar
inside & outside ground
magnetic agitator

■■■ Stk. 31 € 950,-



6504

volume 50 litres, 304
inside + outside highgloss
no outlet in the lower bottom

■■■ Stk. 13 € 380,-



7782

volume 50 litres, 316 (1.4401)
bulk container
frame, 304
high-gloss inside

■■■ Stk. 4 € 590,-



7836

volume 50 liter, 304
double jacket, 304
mobile frame, 304
dissolver:
adjustable output speed

■■■ Stk. 1 € 3.250,-



7568

volume 39 litres, 316 (1.4401)
- unused -
-1/+5 bar
agitator connection lower bottom
Armaflex-insulation

■■■ Stk. 1 € 1.750,-



8236

volume 33 liter, 316 (1.4404)
inside: -1/+5 bar
double jacket, 316: 1,5 bar
inside & outside ground
magnetic agitator

■■■ Stk. 2 € 590,-



8247

■■■ Stk. 1 € 3.900,-



8248

■■■ Stk. 1 € 3.900,-



8450

volume 26 liter, 316 (1.4401)
-1/+3 bar
stand frame, 304
no outlet in the lower bottom

■■■ Stk. 2 € 510,-



8278

volume 10 liter, 304
stainless steel canister
dangerous goods approval (ADR)

■■■ Stk. 34 € 155,-



8279

volume 6 liter, 304
stainless steel canister
dangerous goods approval (ADR)

■■■ Stk. 9 € 110,-



7014

volume 6,8 litres, 316 (1.4435)
- unused -
-1/+6 bar
inside & outside high-gloss

■■■ Stk. 54 € 225,-



6022

heat exchanger, 316 (1.4571)
cylinder, 316: 10 bar
tubes, 316: 10 bar
insulation
order no. 6022

■■■ Stk. 1 € 2.700,-



7565

heat exchanger, 304
- 39 m² -
cylinder, 304: 6 bar
tubes, 304: -1/+3 bar
TUV-certificates

■■■ Stk. 1 € 7.900,-



6388

heat exchanger, 316
cylinder, 316
tubes, 316 (1.4435): 11 bar

■■■ Stk. 2 € 2.150,-



7973

heat exchanger, 304
cylinder, 304: 3,9 bar
tubes, 304: 3,9 bar

■■■ Stk. 1 € 2.350,-



7885

heat exchanger, st. st.
- 10 m² -
cylinder, st. st.: 6 bar
tubes, st. st.: 6 bar
insulation

■■■ Stk. 1 € 3.750,-



7880

■ ■ ■ Stk. 1

€ 3.450,-



6296

dual-sterile-heat exchanger, 316 cylinder, 316 (1.4571): -1/+10 bar tubes, 316 (1.4435): -1/+6 bar insulation - unused -, drawing

■ ■ ■ Stk. 1

€ 6.800,-



5988

heat exchanger, 316 (1.4571) appr. 1,65 m² cylinder, 316: 10 bar tubes, 316: 10 bar insulation

■ ■ ■ Stk. 1

€ 2.700,-



8103

Heat exchanger, 316 (1.4571) 21 m²; TÜV-certificates tubes, 316: -1/+6 bar outer jacket I: -1/+6 bar outer jacket II: -1/+3,2 bar

■ ■ ■ Stk. 2

€ 8.950,-



5989

heat exchanger, 316 appr. 3,5 m² cylinder, 316 (1.4571): 6 bar tubes, 316 (1.4435): 6 bar insulation; drawing

■ ■ ■ Stk. 2

€ 3.450,-



8318

Heat exchanger, st. st. inside: 23 bar outside: 12 bar insulation

■ ■ ■ Stk. 1

€ 565,-



K0015

heat exchanger cylinder (heat-resistant steel): 72 bar tubes (titan III): 200 bar drawing; further documents

■ ■ ■ Stk. 8

€ 8.250,-



7858

Heat exchanger, st. st. cylinder: 10 bar tubes: 2 bar insulation

■ ■ ■ Stk. 1

€ 2.450,-



8283

Heat exchanger, st. st. cylinder: 10 bar tubes: 2 bar insulation

■ ■ ■ Stk. 2

€ 3.000,-



6093

heat exchanger, 316 appr. 2 m² cylinder, 316 (1.4571): 6 bar tubes, 316 (1.4435): 6 bar insulation; drawing

■ ■ ■ Stk. 1

€ 2.950,-



8167

Heat exchanger, st. st. (3 pieces package price) insulation

■ ■ ■ Stk. 1

€ 3.250,-



8221

Vacuum generator, 304

■ ■ ■ Stk. 1

€ 3.250,-



7846

heat exchanger, st. st. - 4,7 m² - cylinder, st. st.: 5 bar tubes, st. st.: 6 bar insulation

■ ■ ■ Stk. 1

€ 3.150,-



7615

pressure pipe, 316 (1.4571) inside: -1/+10 bar double jacket, 304: 13 bar TÜV-certificates

■ ■ ■ Stk. 1

€ 1.250,-



8300

Hot tube holder, Aisi 304

■ ■ ■ Stk. 1

€ 13.800,-



7806

heat exchanger - 0,7 m² - room 1: -1 bar room 2: 5 bar

■ ■ ■ Stk. 1

€ 850,-



7879

■ ■ ■ Stk. 1

€ 1.850,-



pneumatic-agitator, 316 (1.4401)
- unused -
0,75 kW - 2885 rpm

Stk. 1 € 1.950,-



propeller mixer, 316 (1.4571)
0,75 kW - 123 rpm

Stk. 1 € 2.250,-



agitator, 316 (1.4571)
- brand new -
1,5 kW - 270 rpm
without propeller

Stk. 1 € 1.850,-



IBC high-speed mixer explosion-proof (ATEX), 316
- brand new -
1,1 kW - 1500 rpm
traverse, 304

Stk. 2 € 2.910,-



0 € 2.650,-




Stk. 2 € 3.420,-



blades stirrer, 316 (1.4571)
- unused -
1,5 kW - 65 rpm

0 € 2.880,-



Stk. 2 € 2.770,-



0 € 2.410,-




blades stirrer, 316 (1.4571)
- unused -
0,75 kW - 123 rpm

0 € 1.890,-




blades stirrer, 316 (1.4571)
- brand new -
1,5 kW - 37 rpm
drawing

0 € 4.250,-




propeller mixer, 316 (1.4571)
1,5 kW - 1410 rpm
drawing

Stk. 3 € 1.120,-



Stk. 2 € 2.950,-



0 € 11.700,-



0 € 2.040,-



0 € 2.460,-



0 € 1.960,-



0 € 2.070,-




IBC gear agitator explosion-proof (ATEX), 316
- brand new -
1,5 kW - 200 rpm
traverse, 304

Stk. 2 € 4.680,-



0 € 2.970,-



0 € 2.490,-



0 € 3.490,-



12121

0 **€ 2.980,-**

11997

Oblique blade agitator, 316 (1.4571)
- unused -
0,75 kW - 123 rpm

0 **€ 1.365,-**

10069

blades stirrer, 316 (1.4571)
- brand new -
2,2 kW - 41 rpm
drawing

0 **€ 4.550,-**

10079

propeller mixer, 316 (1.4571)
- brand new -
2,2 kW - 1430 rpm
drawing

0 **€ 1.230,-**

10102

Propeller mixer, 316 (1.4404)
- brand new -
4 kW - 1000 rpm
drawing

0 **€ 3.390,-**

10838

■ ■ ■ Stk. 1 **€ 1.280,-**

10841

■ ■ ■ Stk. 1 **€ 2.130,-**

10040

propeller mixer, 316 (1.4571)
- brand new -
4 kW - 1410 rpm
drawing

0 **€ 2.460,-**

10845

0 **€ 2.540,-**

10849

0 **€ 2.030,-**

10111

■ ■ ■ Stk. 2 **€ 1.050,-**

10852

0 **€ 2.920,-**

10089

0 **€ 2.810,-**

12398

beaker stirrer, 316 (1.4571)
- brand new -
with frequency converter
1,1 kW / 0 - 240 rpm

■ ■ ■ Stk. 3 **€ 3.295,-**

10854

■ ■ ■ Stk. 2 **€ 3.070,-**

10110

■ ■ ■ Stk. 1 **€ 1.950,-**

10857

0 **€ 3.990,-**

10066

blades stirrer, 316 (1.4571)
- brand new -
1,5 kW - 58 rpm
drawing

■ ■ ■ Stk. 1 **€ 3.680,-**

10071

BEHÄLTER KG
BREMEN

Blades agitator, 316 (1.4571)
- brand new -
2,2 kW - 46 rpm
drawing

0 **€ 4.850,-**

12860

cross-arm stirrer, 316 (1.4571)
- unused -
0,75 kW - 92 rpm

■ ■ ■ Stk. 1 **€ 2.970,-**

10080

■ ■ ■ Stk. 2 **€ 1.650,-**

10839

■ ■ ■ Stk. 2 **€ 1.390,-**

10850



0 **€ 2.030,-**

11891



agitator
propeller foldable
0,37 kW - 1380 rpm

0 **€ 1.095,-**

14169



volume 35,9 cbm, 304
- brand new -
wt.: 3/4/5 mm
drawing

0 **€ 20.450,-**

11587



Volume 26,7 cbm, AISI 316
(1.4404)
Wall thickness 3 mm
Drawing

0 **€ 15.350,-**

11588



volume 26,7 cbm, 304
wt.: 3 mm
drawing

0 **€ 14.650,-**

12157



volume 10 cbm, 304
- brand new -
inside + outside III d

0 **€ 12.550,-**

13908



volume 10 cbm, 304
- brand new -
double jacket, 304: 2 bar
agitator flange
drawing

0 **€ 13.350,-**

12576



volume 7,8 cbm, 304
- brand new -
double jacket, 304: 2 bar
agitator flange
EG-installation declaration

0 **€ 11.850,-**

11614



volume 5,2 cbm, 304
double jacket, 304: 2 bar
inside + outside III d
agitator flange
drawing

0 **€ 10.750,-**

11615



volume 5,2 cbm, 304
double jacket, 304: 2 bar
insulation
inside + outside III d
agitator flange; drawing

0 **€ 13.850,-**

12155



volume 5 cbm, 304
- brand new -
inside + outside III d

0 **€ 13.230,-**

11611



volume 3,3 cbm, 304
half-coils, 304: 2 bar
double jacket, 304: 2 bar
inside + outside III d
agitator flange; drawing

0 **€ 8.850,-**

11613



volume 3,3 cbm, 304
double jacket, 304: 2 bar
insulation
inside + outside III d
agitator flange; drawing

0 **€ 11.550,-**

11612



volume 3,3 cbm, 304
double jacket, 304: 2 bar
inside + outside III d
agitator flange
drawing

0 **€ 8.850,-**

14016



Reserviert: 1 Stk. bis:
17.02.2022

volume 3,3 cbm, 304
- brand new -
double jacket, 304: 2 bar
insulation
agitator flange; drawing

0 **€ 10.500,-**

11608



volume 2,2 cbm, 304
half-coils, 304: 2 bar
double jacket, 304: 2 bar
inside + outside III d
agitator flange; drawing

0 **€ 8.250,-**

11609



volume 2,2 cbm, 304
double jacket, 304: 2 bar
inside + outside III d
agitator flange
drawing

0 **€ 8.250,-**

11610



volume 2,2 cbm, 304
double jacket, 304: 2 bar
insulation
inside + outside III d
agitator flange; drawing

0 **€ 10.450,-**

11606



volume 1,56 cbm, 304
double jacket, 304: 2 bar
inside + outside III d
agitator flange
drawing

0 **€ 6.950,-**

11607



volume 1,56 cbm, 304
double jacket, 304: 2 bar
insulation
inside + outside III d
agitator flange; drawing

0 **€ 8.950,-**

10097



volume 1,28 cbm, 316 (1.4404)
- brand new -
inside: 3 bar
double jacket, 304: 3 bar
insulation

0 **€ 10.500,-**

12832



volume 1,2 cbm, 304
- brand new -
inside: 2,5 bar
double jacket, 304: 6 bar
documentation

0 **€ 8.950,-**



volume 1,15 cbm, 304
- brand new -
PE-transport shell
operation manual
anchor: 0,75 kW - 13,9 rpm

■ ■ ■ Stk. 1 € 8.250,-



volume 1,15 cbm, 304
- brand new -
double jacket, 304: 5 bar
CE-marking
anchor: 0,75 kW / 0 - 12 rpm

0 € 9.290,-



volume 1,15 cbm, 304
- brand new -
PE-transport-/bearing shell

■ ■ ■ Stk. 1 € 6.590,-



volume 1,15 cbm, 304
- brand new -
double jacket, 304: 5 bar
CE-marking
0,75 kW / 0 - 275 rpm

■ ■ ■ Stk. 1 € 6.675,-



volume 1,15 cbm, 304
- brand new -
PE-transport-/bearing shell

0 € 7.850,-



volume 1,15 cbm, 304
- brand new -
double jacket, 304: 5 bar

■ ■ ■ Stk. 1 € 3.185,-



volume 1,15 cbm, 304
- brand new -
double jacket, 304: 5 bar

■ ■ ■ Stk. 1 € 6.090,-



volume 1,15 cbm, 304
- brand new -
PE-transport-/bearing shell

■ ■ ■ Stk. 26 € 2.750,-



volume 1,15 cbm, 304
- brand new -
double jacket, 304: 5 bar
CE-marking
agitator: 0,75 kW/0-196 rpm

■ ■ ■ Stk. 1 € 7.180,-



volume 1,15 cbm, 316 (1.4404)
- brand new -
PE-transport-/bearing shell
high-gloss inside
cover against extra charge

0 € 2.690,-



volume 1,15 cbm, 304
- brand new -
PE-transport-/bearing shell

0 € 6.470,-



volume 1,15 cbm, 304
- brand new -
PE-transport-/bearing shell

■ ■ ■ Stk. 1 € 7.390,-



volume 1,15 cbm, 304
- brand new -
double jacket, 304: 5 bar
CE-marking
0,75 kW / 0 - 1500 rpm

■ ■ ■ Stk. 2 € 5.450,-



volume 1,15 cbm, 304
- brand new -
PE-transport-/bearing shell

0 € 8.650,-



volume 1,15 cbm, 304
- brand new -
mounted ready to plug in
CE-marking
anchor: 0,75 kW/0 - 12 rpm

■ ■ ■ Stk. 1 € 8.190,-



volume 1,15 cbm, 304
- brand new -
mounted ready to plug in
CE-marking
anchor: 0,75 kW / 0 - 12 rpm

■ ■ ■ Stk. 2 € 8.490,-



volume 1,15 cbm, 304
- brand new -
double jacket, 304: 5 bar
CE-marking
agitator: 0,75 kW / 0 - 62 rpm

■ ■ ■ Stk. 1 € 7.270,-



volume 1,15 cbm, 304
- brand new -
mounted ready to plug in
CE-marking
0,75 kW / 0 - 275 rpm

■ ■ ■ Stk. 2 € 5.875,-



volume 1,15 cbm, 304
- brand new -
mounted ready to plug in
CE-marking
0,75 kW / 0 - 1500 rpm

0 € 4.650,-



volume 1,15 cbm, 304
- brand new -
high-gloss inside

■ ■ ■ Stk. 4 € 2.285,-



volume 1,15 cbm, 304
- brand new -
PE-transport-/bearing shell

■ ■ ■ Stk. 1 € 5.290,-



volume 1,15 cbm, 304
- brand new -
PE-transport-/bearing shell

■ ■ ■ Stk. 20 € 1.810,-

10287



volume 1 cbm, 304
- brand new -
transport cage, Fe

0 **€ 3.690,-**

10105



volume 1 cbm, 304
- brand new -
transport- and stackable cage,
Fe (galvanized)
order no. 5599

0 **€ 2.070,-**

10284



volume 1 cbm, 304
- brand new -
double jacket, 304: 2,5 bar
cage, Fe (galvanized)
dissolver: 5,5 kW - 1410 rpm

0 **€ 6.050,-**

10294



volume 1 cbm, 304
- brand new -
double jacket, 304: 2,5 bar
cage, Fe (galvanized)
1,1 kW - 270 rpm

0 **€ 5.350,-**

10291



volume 1 cbm, 304
- brand new -
cage, Fe (galvanized)
agitator: 0,75 kW - 97 rpm
EG-installation declaration

0 **€ 5.150,-**

10106



volume 1 cbm, 304
- brand new -
double jacket (thermoplate),
304: 2,5 bar
transport - and stackable cage,

0 **€ 2.970,-**

10286



volume 1 cbm, 304
- brand new -
double jacket, 304: 2,5 bar

0 **€ 6.190,-**

10283



volume 1 cbm, 304
- brand new -
cage, Fe (galvanized)
dissolver: 5,5 kW - 1430 rpm
EG-installation declaration

0 **€ 5.250,-**

10293



volume 1 cbm, 304
- brand new -
transport cage, Fe

0 **€ 4.550,-**

10288



volume 1 cbm, 304
- brand new -
double jacket, 304: 2,5 bar

0 **€ 4.490,-**

10285



volume 1 cbm, 304
- brand new -
transport cage, Fe (galvanized)
beaker stirrer
1,5 kW - 270 rpm

0 **€ 5.390,-**

11583



volume 1 cbm, 316 (1.4404)
double jacket, 304: 6 bar
high-gloss inside
lateral agitator flange
drawing

0 **€ 3.945,-**

14051



volume 1 cbm, 304
- brand new -
IBC container
frame Fe (galvanized)
test certificate

0 **€ 2.290,-**

11578



volume 1 cbm, 316 (1.4404)
- brand new -
double jacket, 304: 5 bar
cage 304; drawing
agitator flange

0 **€ 4.190,-**

10007



volume 1 cbm, 304
- brand new -
round container

0 **€ 1.765,-**

11582



volume 1 cbm, 316 (1.4404)
high-gloss inside
lateral agitator flange
drawing

0 **€ 3.060,-**

11577



volume 1 cbm, 316 (1.4404)
- brand new -
cage 304
agitator flange
drawing

0 **€ 3.530,-**

10011



volume 1 cbm, 304
- brand new -
round container

0 **€ 1.995,-**

10104



volume 1 cbm, 304
- brand new -
double jacket (thermoplate),
304: 2,5 bar
transport- and stackable cage,

0 **€ 2.720,-**

13847



volume 1 cbm, 316 (1.4404)
- brand new -
PE-transport-/bearing shell
high-gloss inside
drawing

0 **€ 2.690,-**

10017



volume 995 litres, 304
with UN-approval for use
with dangerous goods
- brand new -
transport cage, Fe (galvanized)

0 **€ 1.870,-**

11605



volume 840 litres, 304
double jacket, 304: 2 bar
insulation
inside + outside IIIId
agitator flange; drawing

0 **€ 6.545,-**



volume 550 litres, 304

- brand new -

high-gloss inside

 Stk. 3 **€ 1.785,-**


volume 550 litres, 304

- brand new -

double jacket, 304: 5 bar

CE-marking

anchor: 0,75 kW / 0 - 23 rpm

 Stk. 1 **€ 8.150,-**


volume 550 litres, 304

- brand new -

PE-transport-/bearing shell

 Stk. 20 **€ 1.300,-**


volume 550 litres, 304

- brand new -

mounted ready to plug in

CE-marking

0,75 kW / 0 - 190 rpm

 Stk. 1 **€ 5.950,-**


volume 550 litres, 304

- brand new -

double jacket, 304: 5 bar

CE-marking

0,75 kW / 0 - 275 rpm

 Stk. 1 **€ 5.590,-**


volume 550 litres, 304

- brand new -

PE-transport-/bearing shell

 Stk. 1 **€ 7.550,-**


volume 550 litres, 304

- brand new -

PE-transport-/bearing shell

 Stk. 1 **€ 5.090,-**


volume 550 litres, 304

- brand new -

double jacket, 304: 5 bar

 Stk. 2 **€ 2.385,-**


volume 550 litres, 304

- brand new -

mounted ready to plug in

CE-marking

0,75 kW - 62 rpm

 Stk. 1 **€ 5.770,-**


volume 550 litres, 304

- brand new -

PE-transport-/bearing shell

 Stk. 23 **€ 1.795,-**


volume 550 litres, 304

- brand new -

double jacket, 304: 5 bar

CE-marking

0,75 kW / 0 - 190 rpm

 Stk. 2 **€ 6.350,-**


volume 550 litres, 304

- brand new -

mounted ready to plug in

CE-marking

0,75 kW / 0 - 1500 rpm

 Stk. 2 **€ 4.050,-**


volume 550 litres, 304

- brand new -

double jacket, 304: 5 bar

CE-marking

0,75 kW / 0 - 1500 rpm

 Stk. 1 **€ 4.450,-**


volume 550 litres, 316 (1.4404)

- brand new -

PE-transport-/bearing shell

high-gloss inside

cover against extra charge

 Stk. 2 **€ 1.590,-**


volume 550 litres, 304

anchor with frequency converter

0,75 kW / 0-23 rpm

mounted ready to plug in

CE-marking

 Stk. 1 **€ 7.750,-**


volume 550 litres, 304

- brand new -

double jacket, 304: 5 bar

CE-marking

0,75 kW - 62 rpm

 Stk. 1 **€ 6.170,-**


volume 550 litres, 304

- brand new -

mounted ready to plug in

CE-marking

0,75 kW / 0 - 275 rpm

 Stk. 2 **€ 5.190,-**


volume 550 litres, 304

- brand new -

PE-transport-/bearing shell

 Stk. 1 **€ 7.150,-**


volume 540 liter, 316 (1.4404)

- brand new -

PE-transport-/bearing shell

high-gloss inside

drawing

 Stk. 1 **€ 1.790,-**


volume 525 litres, 316 (1.4404)

high-gloss inside

lateral agitator flange

drawing

 Stk. 1 **€ 2.585,-**


volume 525 litres, 316 (1.4404)

double jacket, 304: 2,5 - 6 bar

high-gloss inside

lateral agitator flange

drawing

 Stk. 3 **€ 2.990,-**


volume 460 litres, 316 (1.4401)

- brand new -

no outlet in the lower bottom

 Stk. 1 **€ 1.250,-**



12104

volume 50 litres, 304
- brand new -
drawing

■■■ Stk. 4 € 1.540,-



Z0714

■■■ Stk. 3 € 195,-



Z0755

■■■ Stk. 5 € 175,-



7722

pump

■■■ Stk. 1 € 470,-



Z0070

■■■ Stk. 10 € 195,-



8016

pump

■■■ Stk. 1 € 850,-



6838

Chromatographie BPL Faktor II

■■■ Stk. 1 € 5.750,-



8473

Agitator bead mill
Hosokawa 200 AHM

■■■ Stk. 1 € 35.000,-



Z0001

Ventilation valve DN 50

■■■ Stk. 16 € 95,-



7988

Pump

■■■ Stk. 1 € 790,-



8477

Scale
not calibratable

■■■ Stk. 1 € 4.000,-



Z0637

■■■ Stk. 5 € 790,-



8363

Filter integrity test system
- unused -
yoc.: 2018
operation manual

■■■ Stk. 1 € 29.700,-



8404

Pump
1,1 kW

■■■ Stk. 1 € 850,-



12643

stand for container agitators, Fe
- brand new -

0 € 7.250,-



Z0740

■■■ Stk. 1 € 1.950,-



8412

Homogenizing mixer
22 liter - 2,5 bar
double jacket: 4 bar
techn. dokuments

■■■ Stk. 1 € 28.500,-



Z0053

■■■ Stk. 1 € 285,-



8338

Trolley, 304
250 liter
plastic castors

■■■ Stk. 1 € 250,-



Z0710

Insulation sleeve

■■■ Stk. 4 € 790,-



8166

Filter

■■■ Stk. 1 € 1.950,-



Z0227

Stk. 3

€ 195,-



8475

Metal detector

Stk. 1

€ 3.000,-



7505

Cleanbench

Stk. 1

€ 600,-



12644

stand for container agitator, 304
- brand new -

0

€ 8.980,-



Z0518

Stk. 10

€ 945,-



7373

air-flow and discharge valve
Ex-marking (type plate)

Stk. 22

€ 325,-



Z0712

Insulating sleeve

Stk. 3

€ 950,-



7502

Electrical bin lifting unit
yoc.: 2010

Stk. 2

€ 3.550,-



Z0102

Stk. 14

€ 315,-



8375

Transport box, 304
appr. 580 liter
frame, 304

Stk. 5

€ 950,-



8378

Extraction system

Stk. 1

€ 3.950,-



8478

Can filling plant
techn. documents

Stk. 1

€ 10.500,-



Z0244

Stk. 5

€ 75,-



8476

Scale
not calibratable
up to 1,5 t

Stk. 1

€ 6.500,-



Z0892

Frame, 304
- brand new -
for tank 500 liter (SDE)

Stk. 1

€ 1.490,-



8403

Pump
2,2 kW

Stk. 1

€ 850,-